

Accepted Manuscript

Title: Eslicarbazepine Acetate and Carotid intima-media thickness in epileptic patients

Authors: Pedro Jesús Serrano-Castro, Javier Fernández-Perez, Francisco Javier López-González, Manuel Toledo-Argany, José Carlos Estévez-Maria, Antonio Arjona-Padillo, Vicente Bertol-Alegre, José Angel Mauri-Llerda, Diego Tortosa-Conesa, Jesús Ruiz-Giménez, Rosa Querol-Pascual, Alberto García-Martínez, José Manuel Molto-Jorda, Manuel Payan-Ortiz, José Francisco Maestre-Moreno, José Galván-Espinosa, ESL-LIPID Study Group



PII: S0920-1211(17)30323-6
DOI: <https://doi.org/10.1016/j.eplepsyres.2017.10.018>
Reference: EPIRES 5836

To appear in: *Epilepsy Research*

Received date: 28-5-2017
Revised date: 11-10-2017
Accepted date: 24-10-2017

Please cite this article as: Serrano-Castro, Pedro Jesús, Fernández-Perez, Javier, López-González, Francisco Javier, Toledo-Argany, Manuel, Estévez-Maria, José Carlos, Arjona-Padillo, Antonio, Bertol-Alegre, Vicente, Mauri-Llerda, José Angel, Tortosa-Conesa, Diego, Ruiz-Giménez, Jesús, Querol-Pascual, Rosa, García-Martínez, Alberto, Molto-Jorda, José Manuel, Payan-Ortiz, Manuel, Maestre-Moreno, José Francisco, Galván-Espinosa, José, Eslicarbazepine Acetate and Carotid intima-media thickness in epileptic patients. *Epilepsy Research* <https://doi.org/10.1016/j.eplepsyres.2017.10.018>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Eslicarbazepine Acetate and Carotid intima-media thickness in epileptic patients

Authors: Pedro Jesús Serrano-Castro^{1*}, Javier Fernández-Perez², Francisco Javier López-González³, Manuel Toledo-Argany⁴, José Carlos Estévez-Maria⁵, Antonio Arjona-Padillo², Vicente Bertol-Alegre⁶, José Angel Mauri-Llerda⁷, Diego Tortosa-Conesa⁸, Jesús Ruiz-Giménez⁹, Rosa Querol-Pascual¹⁰, Alberto García-Martínez¹¹, José Manuel Molto-Jorda¹², Manuel Payan-Ortiz⁹, José Francisco Maestre-Moreno⁹, José Galván-Espinosa¹³, ESL-LIPID Study Group.

1. Hospital Regional Universitario de Málaga, Neurology, Málaga, Spain.
2. Complejo Hospitalario Torrecardenas, Neurology, Almería, Spain.
3. Complejo Hospitalario Universitario Santiago, Neurology, Santiago de Compostela, Spain.
4. Hospital Vall d'Hebron, Neurology, Barcelona, Spain.
5. Hospital Universitario Reina Sofía, Neurology, Córdoba, Spain.
6. Hospital Universitario Miguel Servet, Neurology, Zaragoza, Spain.
7. Hospital Clinico Universitario Lozano Blesa, Neurology, Zaragoza, Spain.
8. Hospital Universitario Virgen de la Arrixaca, Neurology, Murcia, Spain.
9. Complejo Hospitalario de Granada, Neurology, Granada, Spain.
10. Hospital de Badajoz, Neurology, Badajoz, Spain.
11. Hospital Central de Asturias, Neurology, Oviedo, Spain.
12. Hospital Virgen de los Lirios, Neurology, Alcoy, Spain.
13. Complejo Hospitalario Torrecárdenas, Fundación Investigación Biosanitaria Andalucía Oriental (FIBAO), Almería, Spain.

***Corresponding author:** Pedro Serrano.

Download English Version:

<https://daneshyari.com/en/article/8684340>

Download Persian Version:

<https://daneshyari.com/article/8684340>

[Daneshyari.com](https://daneshyari.com)