Hypoxic postconditioning enhances functional recovery following endothelin-1 induced middle cerebral artery occlusion in conscious rats

Hong.L. Nguyen, Alexander M. Ruhoff, Thomas Fath, Nicole.M. Jones

PII:	S0014-4886(18)30128-6
DOI:	doi:10.1016/j.expneurol.2018.05.018
Reference:	YEXNR 12763
To appear in:	*Experimental Neurology*
Received date:	19 January 2018
Revised date:	19 April 2018
Accepted date:	16 May 2018

Please cite this article as: Hong.L. Nguyen, Alexander M. Ruhoff, Thomas Fath, Nicole.M. Jones , Hypoxic postconditioning enhances functional recovery following endothelin-1 induced middle cerebral artery occlusion in conscious rats. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Yexnr(2017), doi:10.1016/j.expneurol.2018.05.018

Hypoxic postconditioning enhances functional recovery following endothelin-1 induced middle cerebral artery occlusion in conscious rats.

Hong. L. Nguyen (PhD)[1], Alexander M Ruhoff [1*], Thomas Fath (PhD)[2*] and Nicole. M. Jones (PhD)[1*]

[1]Department of Pharmacology, School of Medical Sciences, UNSW Sydney, New South Wales 2052, Australia

[2]Neurodegeneration and Repair Unit, School of Medical Sciences, UNSW Sydney, New South Wales 2052, Australia

Hong L Nguyen

Tel: +61 2 9385 51621

E-mail: Hong.nguyen@unsw.edu.au

Alexander M Ruhoff

Tel: +61 2 9385 51621

E-mail: a.ruhoff@student.unsw.edu.au

Thomas Fath*

Tel: +61 2 9385 9690

E-mail: t.fath@unsw.edu.au

Nicole M Jones*

Tel: +61 2 9385 2568

E-mail: n.jones@unsw.edu.au

* Equal senior author

Correspondence: Dr N M Jones, Department of Pharmacology School of Medical Sciences, UNSW Sydney, New South Wales 2052, Australia

Tel: +61 2 9385 2568

E-mail: n.jones@unsw.edu.au

This work was supported in part by Project Grant APP1083209 from the Australian National Health and Medical Research Council (NHMRC) (TF)