
Accepted Manuscript

CTLA-4, PD-1 and TIM-3 expression predominantly downregulated in MS patients



Adel Mohammadzadeh, Isa Abdi Rad, Babak Ahmadi-Salmasi

PII: S0165-5728(18)30191-7

DOI: doi:10.1016/j.jneuroim.2018.08.004

Reference: JNI 476826

To appear in: Journal of Neuroimmunology

Received date: 11 April 2018 Revised date: 8 July 2018 Accepted date: 6 August 2018

Please cite this article as: Adel Mohammadzadeh, Isa Abdi Rad, Babak Ahmadi-Salmasi , CTLA-4, PD-1 and TIM-3 expression predominantly downregulated in MS patients. Jni (2018), doi:10.1016/j.jneuroim.2018.08.004

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

CTLA-4, PD-1 and TIM-3 expression predominantly downregulated in MS patients

Adel Mohammadzadeh¹*, Isa Abdi Rad², Babak Ahmadi-Salmasi³

- Department of Immunology and genetic, Urmia University of Medical Sciences,
 Urmia, Iran
- 2. Department of Genetics, Urmia University of Medical Sciences, Urmia, Iran
- 3. Department of Neurology, Imam Khomeini Hospital, Urmia University of Medical Sciences, Urmia, Iran

*Corresponding author; Adel Mohammadzadeh. (A.mohimm@gmail.com).

Download English Version:

https://daneshyari.com/en/article/8685618

Download Persian Version:

https://daneshyari.com/article/8685618

<u>Daneshyari.com</u>