The increased antibody response to Epstein-Barr virus in multiple sclerosis is restricted to selected virus proteins

Matthew M. Dooley, Samantha L. de Gannes, Kristi A. Fu, J. William Lindsey MD

PII: S0165-5728(16)30237-5
DOI: doi: 10.1016/j.jneuroim.2016.08.016
Reference: JNI 476423

To appear in: *Journal of Neuroimmunology*

Received date: 13 June 2016
Revised date: 5 August 2016
Accepted date: 30 August 2016

Please cite this article as: Dooley, Matthew M., de Gannes, Samantha L., Fu, Kristi A., Lindsey, J. William, The increased antibody response to Epstein-Barr virus in multiple sclerosis is restricted to selected virus proteins, *Journal of Neuroimmunology* (2016), doi: 10.1016/j.jneuroim.2016.08.016

The increased antibody response to Epstein-Barr virus in multiple sclerosis is restricted to selected virus proteins.

Matthew M. Dooley, Samantha L. de Gannes, Kristi A. Fu, J. William Lindsey
Department of Neurology, University of Texas Health Science Center at Houston, 6431 Fannin Street, Houston, Texas, 77030, USA

Corresponding author:
J. William Lindsey, MD
Professor, Department of Neurology
University of Texas Health Science Center at Houston
6431 Fannin, Suite 7.044
Houston, TX 77030
Phone: 713 500 7135
Fax: 713 500 7040
Email: john.w.lindsey@uth.tmc.edu