


Accepted Manuscript

A V1143F mutation in the neuronal-enriched isoform 2 of the PMCA pump is linked with ataxia



Mattia Vicario, Ginevra Zanni, Francesca Vallese, Filippo Santorelli, Alessandro Grinzato, Domenico Cieri, Paola Berto, Martina Frizzarin, Raffaele Lopreiato, Francesco Zonta, Stefania Ferro, Michele Sandre, Oriano Marin, Maria Ruzzene, Enrico Bertini, Giuseppe Zanotti, Marisa Brini, Tito Calì, Ernesto Carafoli

PII: S0969-9961(18)30117-7
DOI: doi:[10.1016/j.nbd.2018.04.009](https://doi.org/10.1016/j.nbd.2018.04.009)
Reference: YNBDI 4150
To appear in: *Neurobiology of Disease*
Received date: 19 February 2018
Revised date: 21 March 2018
Accepted date: 9 April 2018

Please cite this article as: Mattia Vicario, Ginevra Zanni, Francesca Vallese, Filippo Santorelli, Alessandro Grinzato, Domenico Cieri, Paola Berto, Martina Frizzarin, Raffaele Lopreiato, Francesco Zonta, Stefania Ferro, Michele Sandre, Oriano Marin, Maria Ruzzene, Enrico Bertini, Giuseppe Zanotti, Marisa Brini, Tito Calì, Ernesto Carafoli , A V1143F mutation in the neuronal-enriched isoform 2 of the PMCA pump is linked with ataxia. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Ynbdi(2017), doi:[10.1016/j.nbd.2018.04.009](https://doi.org/10.1016/j.nbd.2018.04.009)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A V1143F mutation in the neuronal-enriched isoform 2 of the PMCA pump is linked with ataxia

Mattia Vicario^{1}, Ginevra Zanni^{2*}, Francesca Vallese¹, Filippo Santorelli³, Alessandro Grinzato¹, Domenico Cieri¹, Paola Berto¹, Martina Frizzarin¹, Raffaele Lopreiato¹, Francesco Zonta^{4,5}, Stefania Ferro¹, Michele Sandre¹, Oriano Marin¹, Maria Ruzzene¹, Enrico Bertini², Giuseppe Zanotti¹, Marisa Brini^{6,a}, Tito Cali^{1,7,a}; and Ernesto Carafoli^{8,a}*

¹Department of Biomedical Sciences, University of Padova, 35131 Padova (Italy); ²Department of Neurosciences, Bambino Gesù Children's Hospital, IRCCS, Rome, (Italy); ³Child Neurology, IRCCS Stella Maris, Pisa, (Italy); ⁴Shanghai Institute of Advanced Immunochemical Studies, ShanghaiTech University, Shanghai, (China); ⁵Department of Biomedical Sciences, Institute of Cell Biology and Neurobiology, Italian National Research Council, 00015, Monterotondo, Rome, Italy; ⁶Department of Biology, University of Padova, (Italy); ⁷Padua Neuroscience Center (PNC), University of Padua, 35122 Padova, Italy; ⁸Venetian Institute of Molecular Medicine, Padova, (Italy).

* The authors contributed equally to this work

^aTo whom correspondence should be addressed: e-mail: ernesto.carafoli@unipd.it; marisa.brini@unipd.it; tito.cali@unipd.it.

Download English Version:

<https://daneshyari.com/en/article/8686375>

Download Persian Version:

<https://daneshyari.com/article/8686375>

[Daneshyari.com](https://daneshyari.com)