Accepted Manuscript

Frontotemporal dysregulation of the SNARE protein interactome is associated with faster cognitive decline in old age

Alfredo Ramos-Miguel, Andrea A. Jones, Ken Sawada, Alasdair M. Barr, Thomas A. Bayer, Peter Falkai, Sue E. Leurgans, Julie A. Schneider, David A. Bennett, William G. Honer


PII: S0969-9961(18)30038-X

DOI: doi:10.1016/j.nbd.2018.02.006


Reference: YNBDI 4113

To appear in: Neurobiology of Disease

Received date: 8 October 2017
Revised date: 7 February 2018
Accepted date: 21 February 2018



This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Neurobiology of Disease. NBD-17-696R1 – Reviewed Manuscript

Frontotemporal dysregulation of the SNARE protein *interactome* is associated with faster cognitive decline in old age

Alfredo Ramos-Miguel^{a,b}, Andrea A. Jones^{a,b}, Ken Sawada^c, Alasdair M. Barr^{a,d}, Thomas A. Bayer^e, Peter Falkai^f, Sue E. Leurgans^g, Julie A. Schneider^g, David A. Bennett^g, William G. Honer^{a,b,*}

- ^a BC Children's Hospital Research Institute, 938 West 28th Avenue, Vancouver, BC, V5Z 4H4, Canada.
- ^b Department of Psychiatry University of British Columbia, 2255 Wesbrook Mall, Vancouver, BC, V6T 2A1, Canada.
- ^c Kochi Medical School, Kohasu, Oko-cho, Nankoku, Kochi, 783-8505, Japan.
- ^d Department of Anesthesiology, Pharmacology and Therapeutics, University of British Columbia, 2176 Health Sciences Mall, Vancouver, BC, V6T 1Z3, Canada.
- ^e Department of Psychiatry, University Medicine Goettingen, von-Siebold-Strasse 5, D-37075 Goettingen, Germany.
- ^f Department of Psychiatry and Psychotherapy, Ludwig-Maximilians-University Munich, Nussbaumstrasse 7, D-80336 Munich, Germany.
- g Rush Alzheimer's disease Center, Rush University Medical Center, 600 S. Paulina Street, Chicago, IL 60612
- *Corresponding author at: Department of Psychiatry, University of British Columbia, 2255 Wesbrook Mall, Vancouver, BC, Canada, V6T 2A1. E-mail: william.honer@ubc.ca (WG Honer).

Abbreviations: 1-D, one-dimension; 2-D, two-dimension; Alzheimer's disease, AD; ANCOVA, analysis of covariance; APP, amyloid precursor protein; BA, Brodmann's area; BN-PAGE, blue native-PAGE; BSA, bovine serum albumin; Ca²⁺, inorganic calcium ion; CERAD, Consortium to Establish a Registry for AD; CPLX, complexin; DC, detergent compatible; EDTA, ethylenediaminetetraacetic acid; ELISA, enzyme-linked immunoadsorbant assay; FDR, false discovery rate; GABA, gamma-aminobutyric acid; HLA-DR, human leukocyte antigen - antigen D-related; IP, immunoprecipitation; IT, inferior temporal gyrus; M18, munc18-1; MAP, Memory and Aging Project; MCI, mild cognitive impairment; MF, middle-frontal gyrus; MMSE, minimental score examination, NCI, no cognitive impairment; NFTs, neurofibrillary tangles; NIA, National Institute on Aging; PAGE, polyacrylamide gel electrophoresis; PBS, phosphate-buffered saline; PMI; postmortem interval; PPIs, protein-protein interactions; PVDF, polyvinylidene difluoride; SDS, sodium dodecyl sulfate; SNAP25, synaptosome-associated protein 25; SNARE, soluble *N*-ethylmaleimide-sensitive factor attachment protein receptor; STX1, syntaxin-1; TBS, Tris-buffered saline; VAMP, vesicle-associated membrane protein; WT, wild-type.

Download English Version:

https://daneshyari.com/en/article/8686382

Download Persian Version:

https://daneshyari.com/article/8686382

<u>Daneshyari.com</u>