

Altered levels of the splicing factor muscleblind modifies cerebral cortical function in mouse models of myotonic dystrophy

Gang Chen, Russell E. Carter, John D. Cleary, Tammy S. Reid, Laura P. Ranum, Maurice S. Swanson, Timothy J. Ebner

PII: S0969-9961(18)30003-2
DOI: https://doi.org/10.1016/j.nbd.2018.01.003
Reference: YNBDI 4091

To appear in: *Neurobiology of Disease*

Received date: 4 October 2017
Revised date: 20 December 2017
Accepted date: 8 January 2018

Please cite this article as: Gang Chen, Russell E. Carter, John D. Cleary, Tammy S. Reid, Laura P. Ranum, Maurice S. Swanson, Timothy J. Ebner , Altered levels of the splicing factor muscleblind modifies cerebral cortical function in mouse models of myotonic dystrophy. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Ynbdi(2017), https://doi.org/10.1016/j.nbd.2018.01.003

Altered levels of the splicing factor muscleblind modifies cerebral cortical function in mouse models of myotonic dystrophy

Gang Chen[1], Russell E. Carter[1], John D. Cleary[2], Tammy S. Reid[2], Laura P. Ranum[2], Maurice S. Swanson[2], Timothy J. Ebner[1]

[1]Department of Neuroscience, University of Minnesota, Minneapolis, MN, USA

[2]Center for NeuroGenetics, Department of Molecular Genetics & Microbiology and Neurology, College of Medicine, Genetics Institute, University of Florida, Gainesville, FL, USA

Abbreviated Title:

Flavoprotein imaging in myotonic dystrophy mice

Please address correspondences to:

Timothy J. Ebner, MD, PhD

Department of Neuroscience

University of Minnesota

Lions Research Building Room 421

2001 Sixth Street SE, Minneapolis, MN 55455

ebner001@umn.edu

Office: 612-626-9204

Fax: 612-626-9201