Accepted Manuscript



Suppression of underlying neuronal fluctuations mediates EEG slowing during general anaesthesia

Axel Hutt, Jérémie Lefebvre, Darren Hight, Jamie Sleigh

PII: S1053-8119(18)30550-0

DOI: 10.1016/j.neuroimage.2018.06.043

Reference: YNIMG 15049

To appear in: *NeuroImage*

Received Date: 2 March 2018

Revised Date: 3 May 2018

Accepted Date: 12 June 2018

Please cite this article as: Hutt, A., Lefebvre, Jéé., Hight, D., Sleigh, J., Suppression of underlying neuronal fluctuations mediates EEG slowing during general anaesthesia, *NeuroImage* (2018), doi: 10.1016/j.neuroimage.2018.06.043.

Suppression of underlying neuronal fluctuations mediates EEG slowing during general anaesthesia

Axel Hutt[1], Jérémie Lefebvre[2], Darren Hight[3 4], Jamie Sleigh[3,*]

[1] *Department FE 12 – Data Assimilation , Deutscher Wetterdienst, 63067 Offenbach am Main, Germany*
Department of Mathematics and Statistics, University of Reading, Reading RG6 6AX,UK

[2] *Krembil Research Institute, University Health Network, Toronto, Ontario M5T 2S8, Canada*
Department of Mathematics, University of Toronto, Toronto, Ontario M5T 2S8, Canada
Institute of Biomaterials and Biomedical Engineering, University of Toronto, Toronto, Ontario M5T 2S8, Canada

[3] *Department of Anaesthesiology, Waikato Clinical Campus, University of Auckland, Hamilton 3240, New Zealand*

[4] *Department of Anaesthesiology and Pain Therapy, University Hospital Bern, Inselspital, Bern, Switzerland*

Short title: Random fluctuations slow anaesthesia EEG

Keywords : anaesthesia, noise, functional fragmentation, alpha-activity

Corresponding author:
Axel Hutt
Deutscher Wetterdienst
Department FE12- Data Assimilation
Frankfurter Strasse 135
63067 Offenbach am Main , Germany
Tel.: +49 69 80622750 , Email: digitalesbad@gmail.com