Accepted Manuscript

Typical retinotopic locations impact the time course of object coding

Daniel Kaiser, Merle M. Moeskops, Radoslaw M. Cichy

PII: S1053-8119(18)30404-X

DOI: 10.1016/j.neuroimage.2018.05.006

Reference: YNIMG 14931

To appear in: NeuroImage

Received Date: 28 February 2018

Revised Date: 30 April 2018 Accepted Date: 1 May 2018



Please cite this article as: Kaiser, D., Moeskops, M.M., Cichy, R.M., Typical retinotopic locations impact the time course of object coding, *NeuroImage* (2018), doi: 10.1016/j.neuroimage.2018.05.006.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

1 Typical retinotopic locations impact the time course of object coding 2 Daniel Kaiser^{1,*}, Merle M. Moeskops¹, Radoslaw M. Cichy^{1,2,3} 3 4 ¹Department of Education and Psychology, Freie Universität Berlin, Berlin, Germany 5 ²Berlin School of Mind and Brain, Humboldt-Universität Berlin, Berlin, Germany 6 ³Bernstein Center for Computational Neuroscience Berlin, Berlin, Germany 7 8 *Correspondence to: 9 10 Dr. Daniel Kaiser Department of Education and Psychology 11 Freie Universität Berlin 12 Habelschwerdter Allee 45 13 14195 Berlin, Germany 14 danielkaiser.net@gmail.com 15

Download English Version:

https://daneshyari.com/en/article/8686840

Download Persian Version:

https://daneshyari.com/article/8686840

<u>Daneshyari.com</u>