## Accepted Manuscript

Late chronotype is associated with enhanced amygdala reactivity and reduced frontolimbic functional connectivity to fearful versus happy facial expressions

Charlotte Mary Horne, Ray Norbury

PII: S1053-8119(18)30025-9

DOI: 10.1016/j.neuroimage.2018.01.025

Reference: YNIMG 14638

To appear in: NeuroImage

Received Date: 8 September 2017

Accepted Date: 11 January 2018

Please cite this article as: Horne, C.M., Norbury, R., Late chronotype is associated with enhanced amygdala reactivity and reduced fronto-limbic functional connectivity to fearful versus happy facial expressions, *NeuroImage* (2018), doi: 10.1016/j.neuroimage.2018.01.025.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



### ACCEPTED MANUSCRIPT

#### Late chronotype is associated with enhanced amygdala reactivity and reduced fronto-

#### limbic functional connectivity to fearful versus happy facial expressions

Charlotte Mary Horne<sup>1,2</sup> and Ray Norbury<sup>1</sup>

<sup>1</sup> Department of Psychology

University of Roehampton

<sup>2</sup> Address for correspondence:

Charlotte Mary Horne

Department of Psychology

University of Roehampton

Whitelands College,

London

SW15 4JD

E: hornec1@roehampton.ac.uk

T: +44(0) 20 8932 5788

Download English Version:

# https://daneshyari.com/en/article/8687112

Download Persian Version:

https://daneshyari.com/article/8687112

Daneshyari.com