

Accepted Manuscript

Polymorphism in schizophrenia risk gene MIR137 is associated with the posterior cingulate Cortex's activation and functional and structural connectivity in healthy controls

Zhifang Zhang, Tongjun Yan, Yanyan Wang, Qiumei Zhang, Wan Zhao, Xiongying Chen, Jinguo Zhai, Min Chen, Boqi Du, Xiaoxiang Deng, Feng Ji, Yutao Xiang, Hongjie Wu, Jie Song, Qi Dong, Chuansheng Chen, Jun Li



PII: S2213-1582(18)30109-8
DOI: doi:[10.1016/j.nicl.2018.03.039](https://doi.org/10.1016/j.nicl.2018.03.039)
Reference: YNICTL 1361
To appear in: *NeuroImage: Clinical*
Received date: 4 January 2018
Revised date: 16 March 2018
Accepted date: 31 March 2018

Please cite this article as: Zhifang Zhang, Tongjun Yan, Yanyan Wang, Qiumei Zhang, Wan Zhao, Xiongying Chen, Jinguo Zhai, Min Chen, Boqi Du, Xiaoxiang Deng, Feng Ji, Yutao Xiang, Hongjie Wu, Jie Song, Qi Dong, Chuansheng Chen, Jun Li , Polymorphism in schizophrenia risk gene MIR137 is associated with the posterior cingulate Cortex's activation and functional and structural connectivity in healthy controls. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. *Ynicl*(2017), doi:[10.1016/j.nicl.2018.03.039](https://doi.org/10.1016/j.nicl.2018.03.039)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title Page

Polymorphism in Schizophrenia Risk Gene *MIR137* is Associated with the Posterior

Cingulate Cortex's Activation and Functional and Structural Connectivity in Healthy Controls

Zhifang Zhang^{1,2}, Tongjun Yan³, Yanyan Wang³, Qiumei Zhang^{4,1,2}, Wan Zhao^{1,2}, Xiongying Chen^{1,2}, Jinguo Zhai⁴, Min Chen⁴, Boqi Du^{1,2}, Xiaoxiang Deng^{1,2}, Feng Ji⁴, Yutao Xiang^{5,6}, Hongjie Wu⁷, Jie Song⁷, Qi Dong^{1,2}, Chuansheng Chen⁸, Jun Li^{1,2,9}

¹ State Key Laboratory of Cognitive Neuroscience and Learning & IDG/McGovern Institute for Brain Research, Beijing Normal University, P.R. China

² Center for Collaboration and Innovation in Brain and Learning Sciences, Beijing Normal University, P.R. China

³ The PLA 102nd Hospital and Mental Health Center of Military. Changzhou 213003, P.R. China

⁴ School of Mental Health, Jining Medical University, 45# Jianshe South Road, Jining 272013, Shandong Province, P.R. China

⁵ Beijing Anding Hospital, Beijing 100088, P.R. China

⁶ Faculty of Health Sciences, University of Macau, Avenida da Universidade, Taipa, Macau

⁷ Shengli Hospital of Shengli Petroleum Administration Bureau, Dongying 257022, Shandong Province, P.R. China

⁸ Department of Psychology and Social Behavior, University of California, Irvine, CA 92697, United States

⁹ Corresponding author: Jun Li, tel: 8610-58801755, fax: 8610-58801755, email: lijundp@bnu.edu.cn

Word count: Abstract, 226; Main text, 3730

References: 79

Tables: 1

Figures: 1

Supplement: 1 (1 figure)

Download English Version:

<https://daneshyari.com/en/article/8687602>

Download Persian Version:

<https://daneshyari.com/article/8687602>

[Daneshyari.com](https://daneshyari.com)