

Accepted Manuscript

Combining viscoelasticity, diffusivity and volume of the hippocampus for the diagnosis of Alzheimer's disease based on magnetic resonance imaging

Lea M. Gerischer, Andreas Fehlner, Theresa Köbe, Kristin Prehn, Daria Antonenko, Ulrike Grittner, Jürgen Braun, Ingolf Sack, Agnes Flöel



PII: S2213-1582(17)30328-5
DOI: <https://doi.org/10.1016/j.nicl.2017.12.023>
Reference: YNICL 1238
To appear in: *NeuroImage: Clinical*
Received date: 2 August 2017
Revised date: 20 November 2017
Accepted date: 16 December 2017

Please cite this article as: Lea M. Gerischer, Andreas Fehlner, Theresa Köbe, Kristin Prehn, Daria Antonenko, Ulrike Grittner, Jürgen Braun, Ingolf Sack, Agnes Flöel , Combining viscoelasticity, diffusivity and volume of the hippocampus for the diagnosis of Alzheimer's disease based on magnetic resonance imaging. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Ynicl(2017), <https://doi.org/10.1016/j.nicl.2017.12.023>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Combining viscoelasticity, diffusivity and volume of the hippocampus for the diagnosis of Alzheimer's disease based on Magnetic resonance imaging

Lea M Gerischer^{1,2,4}, Andreas Fehlner³, Theresa Köbe^{1,4}, Kristin Prehn^{1,4}, Daria Antonenko^{1,4,7}, Ulrike Grittner⁵, Jürgen Braun⁶, Ingolf Sack³, Agnes Flöel^{1,4,7}

1 Charité – Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin, and Berlin Institute of Health, Department of Neurology, Berlin, Germany

2 Berlin Institute of Health (BIH), Berlin, Germany

3 Charité – Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin, and Berlin Institute of Health, Department of Radiology, Berlin, Germany

4 Charité – Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin, and Berlin Institute of Health, NeuroCure Clinical Research Center, Berlin, Germany

5 Charité – Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin, and Berlin Institute of Health, Department for Biostatistics and Clinical Epidemiology, Berlin, Germany

6 Charité – Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin, and Berlin Institute of Health, Institute of Medical Informatics, Berlin, Germany

7 University Medicine Greifswald, Department of Neurology, Greifswald, Germany

Corresponding author: Agnes Flöel, MD

Address: Department of Neurology,
Universitätsmedizin Greifswald
Ferdinand Sauerbruch Strasse, 17475 Greifswald

Phone: +49 3834 86-6800

Fax: +49 3834 86-6875

E-mail: agnes.floeel@uni-greifswald.de

Keywords

Alzheimer's Disease - MR elastography - viscoelasticity - diffusivity - hippocampus – hippocampal volume - ROC

Download English Version:

<https://daneshyari.com/en/article/8687862>

Download Persian Version:

<https://daneshyari.com/article/8687862>

[Daneshyari.com](https://daneshyari.com)