Diffusion tensor imaging in Parkinson's disease: Review and meta-analysis

Cyril Atkinson-Clement, Serge Pinto, Alexandre Eusebio, Olivier Coulon

PII: S2213-1582(17)30176-6
DOI: doi: 10.1016/j.nicl.2017.07.011
Reference: YNICL 1086

To appear in: *NeuroImage: Clinical*

Received date: 29 March 2017
Revised date: 13 July 2017
Accepted date: 14 July 2017

Please cite this article as: Cyril Atkinson-Clement, Serge Pinto, Alexandre Eusebio, Olivier Coulon , Diffusion tensor imaging in Parkinson's disease: Review and meta-analysis, *NeuroImage: Clinical* (2017), doi: 10.1016/j.nicl.2017.07.011

Diffusion Tensor Imaging in Parkinson's disease: review and meta-analysis

Cyril Atkinson-Clement[1], Serge Pinto[1,2], Alexandre Eusebio[3,4], Olivier Coulon[2,4,5]

1 Aix Marseille Univ, CNRS, LPL, Aix-en-Provence, France.

2 Brain and Language Research Institute, CNRS, Aix-Marseille Université, France.

3 Service de Neurologie et Pathologie du Mouvement, Assistance Publique-Hôpitaux de Marseille et Aix-Marseille Université, Hôpital de la Timone, 13385, Marseille Cedex 05, France.

4 Aix Marseille Univ, CNRS, Institut de Neurosciences de La Timone, UMR 7289, Marseille, France.

5 Aix Marseille Univ, CNRS, LSIS lab, UMR 7296, Marseille, France.

Corresponding author:

Cyril Atkinson-Clement, M.Sc.

Laboratoire Parole et Langage (LPL)

UMR 7309 - CNRS / Aix-Marseille Université

5, avenue Pasteur

13100 Aix-en-Provence, France

cyril.atkinson-clement@lpl-aix.fr

Key words:

Neuroimaging; Diffusion tensor imaging; Idiopathic Parkinson's disease; Fractional anisotropy; Mean diffusivity.

Words count:

5 287 (+ 256 for abstract)