Structurofunctional resting-state networks correlate with motor function in chronic stroke

Benjamin T. Kalinosky, Reivian Berrios Barillas, Brian D. Schmit

PII: S2213-1582(17)30167-5
DOI: doi: 10.1016/j.nicl.2017.07.002
Reference: YNICL 1077

To appear in: *NeuroImage: Clinical*

Received date: 30 January 2017
Revised date: 12 June 2017
Accepted date: 3 July 2017

Please cite this article as: Benjamin T. Kalinosky, Reivian Berrios Barillas, Brian D. Schmit , Structurofunctional resting-state networks correlate with motor function in chronic stroke, *NeuroImage: Clinical* (2017), doi: 10.1016/j.nicl.2017.07.002

Structurofunctional Resting-State Networks Correlate with Motor Function in Chronic Stroke

Benjamin T. Kalinosky[1], Reivian Berrios Barillas[2,3] and Brian D. Schmit[1]

[1]Department of Biomedical Engineering, Marquette University, Milwaukee, WI, USA
[2]Department of Physical Therapy, Marquette University, Milwaukee, WI, USA
[3]Currently: Department of Physical Therapy, Concordia University of Wisconsin, Mequon, WI, USA

Corresponding Author:
Brian D. Schmit, PhD
Department of Biomedical Engineering
Marquette University
PO Box 1881
Milwaukee, WI 53201-1881
brian.schmit@marquette.edu