Accepted Manuscript

Brain connectivity aberrations in anabolic-androgenic steroid users


Lars T. Westlye, Tobias Kaufmann, Dag Alnæs, Ingunn R. Hullstein, Astrid Bjørnebekk

PII: S2213-1582(16)30222-4 DOI: doi: 10.1016/j.nicl.2016.11.014

Reference: YNICL 865

To appear in: NeuroImage: Clinical

Received date: 20 September 2016 Revised date: 13 November 2016 Accepted date: 16 November 2016



Please cite this article as: Westlye, Lars T., Kaufmann, Tobias, Alnæs, Dag, Hullstein, Ingunn R., Bjørnebekk, Astrid, Brain connectivity aberrations in anabolic-androgenic steroid users, *NeuroImage: Clinical* (2016), doi: 10.1016/j.nicl.2016.11.014

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title: Brain connectivity aberrations in anabolic-androgenic steroid users

Short title: Brain connectivity in AAS users

Authors: Lars T. Westlye^{1,2*}, Tobias Kaufmann¹, Dag Alnæs¹, Ingunn R. Hullstein³

Astrid Bjørnebekk⁴

¹ NORMENT, KG Jebsen Centre for Psychosis Research, Division of Mental Health

and Addiction, Oslo University Hospital & Institute of Clinical Medicine, University of

Oslo, Norway

² Department of Psychology, University of Oslo, Norway

³ Norwegian Doping Control Laboratory, Oslo University Hospital, Norway

⁴ Division of Mental Health and Addiction, Department on Substance Use Disorder

Treatment, Norwegian National Advisory Unit on Substance Use Disorder Treatment,

Oslo University Hospital, Norway

* Corresponding author: Lars T. Westlye, Ph.D.

Email: l.t.westlye@psykologi.uio.no, postal address: Oslo University Hospital, PoBox

4956 Nydalen, 0424 OSLO, Norway, phone: +47 23 02 73 50, Fax: +47 23 02 73 33

Keywords (six): anabolic-androgenic steroids (AAS), fMRI, amygdala, functional

connectivity, default-mode network, dependency

Word count abstract: 197 | article body: 3984

Number of Figures 3 | Tables: 1 | Supplemental information: 1 document

1

Download English Version:

https://daneshyari.com/en/article/8688838

Download Persian Version:

https://daneshyari.com/article/8688838

<u>Daneshyari.com</u>