

Accepted Manuscript



Title: Febrile Seizure Risk after Vaccination in Children One to Five Months

Author: Jonathan Duffy, Simon J. Hambidge, Lisa A. Jackson, Elyse O. Kharbanda, Nicola P. Klein, Allison Naleway, Saad B. Omer, Eric Weintraub, on behalf of the Vaccine Safety Datalink

PII: S0887-8994(17)30692-6
DOI: <http://dx.doi.org/doi: 10.1016/j.pediatrneurol.2017.08.005>
Reference: PNU 9210

To appear in: *Pediatric Neurology*

Received date: 29-6-2017
Revised date: 9-8-2017
Accepted date: 11-8-2017

Please cite this article as: Jonathan Duffy, Simon J. Hambidge, Lisa A. Jackson, Elyse O. Kharbanda, Nicola P. Klein, Allison Naleway, Saad B. Omer, Eric Weintraub, on behalf of the Vaccine Safety Datalink, Febrile Seizure Risk after Vaccination in Children One to Five Months, *Pediatric Neurology* (2017), <http://dx.doi.org/doi: 10.1016/j.pediatrneurol.2017.08.005>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Febrile seizure risk after vaccination in children one to five months

Jonathan Duffy, MD, MPH^a
Simon J. Hambidge, MD, PhD^b
Lisa A. Jackson, MD, MPH^c
Elyse O. Kharbanda, MD, MPH^d
Nicola P. Klein, MD, PhD^e
Allison Naleway, PhD^f
Saad B. Omer, MBBS, MPH, PhD^g
Eric Weintraub, MPH^a
on behalf of the Vaccine Safety Datalink

Affiliations:

a Immunization Safety Office, Centers for Disease Control and Prevention, Atlanta, GA;
b Institute for Health Research, Kaiser Permanente Colorado and Ambulatory Care Services, Denver Health, Denver, CO;
c Kaiser Permanente Washington Health Research Institute, Seattle, WA;
d HealthPartners, Minneapolis, MN;
e Kaiser Permanente Vaccine Study Center, Kaiser Permanente Northern California, Oakland, CA;
f Kaiser Permanente Northwest, Portland, OR;
g Kaiser Permanente Georgia and Emory University, Atlanta, GA;

Corresponding Author:

Jonathan Duffy
Centers for Disease Control and Prevention
1600 Clifton Road NE, MS D-26
Atlanta, GA 30329

Phone: 404-498-0670
Fax: 404-498-0666
Email: jduffy@cdc.gov

Running title: Febrile seizure after vaccination

Funding source: This study was funded by the Centers for Disease Control and Prevention.

Financial Disclosure: Dr. Klein reports receiving research support from GlaxoSmithKline, MedImmune, Merck & Co., Pfizer, Protein Science, and Sanofi-Pasteur for unrelated studies. Dr. Naleway reports receiving research funding from MedImmune, Merck & Co., and Pfizer for unrelated studies. The remaining authors have no financial relationships to disclose.

Conflict of Interest: The authors have no conflicts of interest to disclose.

Disclaimer: The findings and conclusions in this report are those of the authors and do not necessarily represent the official position of the Centers for Disease Control and Prevention.

Download English Version:

<https://daneshyari.com/en/article/8690580>

Download Persian Version:

<https://daneshyari.com/article/8690580>

[Daneshyari.com](https://daneshyari.com)