# Accepted Manuscript




An alternative endoscopic anterolateral route to Meckel's cave: an anatomical feasibility study using a sublabial transmaxillary approach

Kaan Yağmurlu, MD, Michael A. Mooney, MD, Kaith K. Almefty, MD, Baran Bozkurt, MD, Necmettin Tanriover, MD, Andrew S. Little, MD, Mark C. Preul, MD

PII: S1878-8750(18)30401-7

DOI: 10.1016/j.wneu.2018.02.128

Reference: WNEU 7543

To appear in: *World Neurosurgery*

Received Date: 6 September 2017

Revised Date: 20 February 2018

Accepted Date: 22 February 2018

Please cite this article as: Yağmurlu K, Mooney MA, Almefty KK, Bozkurt B, Tanriover N, Little AS, Preul MC, An alternative endoscopic anterolateral route to Meckel's cave: an anatomical feasibility study using a sublabial transmaxillary approach, *World Neurosurgery* (2018), doi: 10.1016/j.wneu.2018.02.128.

# An alternative endoscopic anterolateral route to Meckel's cave: an anatomical feasibility study using a sublabial transmaxillary approach

Kaan Yağmurlu, MD[1]

Michael A. Mooney, MD[1]

Kaith K. Almefty, MD[1]

Baran Bozkurt, MD[1]

Necmettin Tanriover, MD[2]

Andrew S. Little, MD[1]

Mark C. Preul, MD[1]

[1]Department of Neurosurgery

Barrow Neurological Institute

St. Joseph's Hospital and Medical Center

Phoenix, Arizona

[2]Department of Neurosurgery

Cerrahpasa Medical Faculty

Istanbul University

Istanbul, Turkey