

Accepted Manuscript

Waist circumference, body mass index and waist-height ratio: Are two indices better than one for identifying hypertension risk in older adults?

Rafaela Haeger Luz, Aline Rodrigues Barbosa, Eleonora d'Orsi

PII: S0091-7435(16)30280-8
DOI: doi: [10.1016/j.ypmed.2016.09.024](https://doi.org/10.1016/j.ypmed.2016.09.024)
Reference: YPMED 4789

To appear in: *Preventive Medicine*

Received date: 27 June 2016
Revised date: 16 September 2016
Accepted date: 19 September 2016



Please cite this article as: Luz Rafaela Haeger, Barbosa Aline Rodrigues, d'Orsi Eleonora, Waist circumference, body mass index and waist-height ratio: Are two indices better than one for identifying hypertension risk in older adults?, *Preventive Medicine* (2016), doi: [10.1016/j.ypmed.2016.09.024](https://doi.org/10.1016/j.ypmed.2016.09.024)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Waist circumference, body mass index and waist-height ratio: are two indices better than one for identifying hypertension risk in older adults?

Rafaela Haeger Luz¹; Aline Rodrigues Barbosa²; Eleonora d'Orsi³.

¹Programa de Pós Graduação em Nutrição, Universidade Federal de Santa Catarina – SC, Brazil.

²Departamento de Educação Física, Centro de Desportos, Universidade Federal de Santa Catarina – SC, Brazil.

³Departamento de Saúde Coletiva, Centro de Ciências da Saúde, Universidade Federal de Santa Catarina – SC, Brazil.

Corresponding author: Aline Rodrigues Barbosa, Universidade Federal de Santa Catarina – Campus Trindade – Florianópolis – SC – Brazil, Phone/Fax + 55 48 37218562, aline.r.barbosa@ufsc.br; alinerb13@yahoo.com.br

Acknowledgements

We would like to thank to the Brazilian Institute of Geography and Statistics (IBGE) and to the Florianópolis Health Authority staff for their useful help with the practical aspects of the study.

Financial Support

This paper is based on the EPIFLORIPA 2013 – Florianópolis Ageing Health Survey. The Project was sponsored by the Brazilian National Council for Scientific and Technological Development (CNPq), grant number 569834/2008-2. RH Luz received a master's scholarship grant from the Coordination of Improvement of Higher Education in Brazil (Capes).

Conflict of Interest

None.

Authorship

Download English Version:

<https://daneshyari.com/en/article/8693836>

Download Persian Version:

<https://daneshyari.com/article/8693836>

[Daneshyari.com](https://daneshyari.com)