Accepted Manuscript

The effect of light-emitting diode (590/830 nm)−based low-level laser therapy on posttraumatic edema of facial bone fracture patients

Woo Yeol Baek, MD, Il Hwan Byun, MD, In Sik Yun, MD, PhD, Jae Yoon Kim, MD, Tai Suk Roh, MD, PhD, Dae Hyun Lew, MD, PhD, Young Seok Kim, MD, PhD

PII: S1010-5182(17)30297-4

DOI: 10.1016/j.jcms.2017.08.027

Reference: YJCMS 2772

To appear in: *Journal of Cranio-Maxillo-Facial Surgery*

Received Date: 19 May 2017

Revised Date: 22 July 2017

Accepted Date: 24 August 2017

Please cite this article as: Baek WY, Byun IH, Yun IS, Kim JY, Roh TS, Lew DH, Kim YS, The effect of light-emitting diode (590/830 nm)−based low-level laser therapy on posttraumatic edema of facial bone fracture patients, *Journal of Cranio-Maxillofacial Surgery* (2017), doi: 10.1016/j.jcms.2017.08.027.

The effect of light-emitting diode (590/830 nm)−based low-level laser therapy on posttraumatic edema of facial bone fracture patients

Woo Yeol Baek, MD*, Il Hwan Byun, MD*, In Sik Yun, MD, PhD, Jae Yoon Kim, MD, Tai Suk Roh, MD, PhD, Dae Hyun Lew, MD, PhD, Young Seok Kim, MD, PhD

Department of Plastic and Reconstructive Surgery, Institute for Human Tissue Restoration, Yonsei University College of Medicine, Seoul, Korea