


Accepted Manuscript

Rhinoplasty via the midface degloving approach for nasal deformity due to nasal polyps: A case report of Woakes' syndrome

Misato Ueda, Kazunobu Hashikawa, Takanori Iwayama, Hiroto Terashi



PII: S2214-5419(17)30015-9

DOI: 10.1016/j.omsc.2017.05.001

Reference: OMSC 38

To appear in: *Oral and Maxillofacial Surgery Cases*

Received Date: 08 August 2016

Revised Date: 10 May 2017

Accepted Date: 12 May 2017

Please cite this article as: Misato Ueda, Kazunobu Hashikawa, Takanori Iwayama, Hiroto Terashi, Rhinoplasty via the midface degloving approach for nasal deformity due to nasal polyps: A case report of Woakes' syndrome, *Oral and Maxillofacial Surgery Cases* (2017), doi: 10.1016/j.omsc.2017.05.001

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- We described a case of nasal polyposis filling the nasal cavity and paranasal sinuses, leading to external nasal and facial deformities.
- The condition above is known as Woakes' syndrome, and has rarely been reported in the oral and maxillofacial regions.
- We performed nasal osteotomy and facial bone-shaving via the midface degloving approach.

Download English Version:

<https://daneshyari.com/en/article/8707013>

Download Persian Version:

<https://daneshyari.com/article/8707013>

[Daneshyari.com](https://daneshyari.com)