Accepted Manuscript

Links between infant sleep and parental tolerance for infant crying: longitudinal assessment from pregnancy through 6months postpartum

Michal Kahn, Yasmin Bauminger, Ella Volkovich, Gal Meiri, Avi Sadeh, Liat Tikotzky

sleepmedicine

sleepm

PII: \$1389-9457(18)30201-6

DOI: 10.1016/j.sleep.2018.05.014

Reference: SLEEP 3705

To appear in: Sleep Medicine

Received Date: 20 February 2018

Revised Date: 11 May 2018
Accepted Date: 14 May 2018

Please cite this article as: Kahn M, Bauminger Y, Volkovich E, Meiri G, Sadeh A, Tikotzky L, Links between infant sleep and parental tolerance for infant crying: longitudinal assessment from pregnancy through 6months postpartum, *Sleep Medicine* (2018), doi: 10.1016/j.sleep.2018.05.014.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Links between infant sleep and parental tolerance for infant crying: longitudinal assessment from pregnancy through 6 months postpartum

Michal Kahn ^a, Yasmin Bauminger ^b, Ella Volkovich ^b, Gal Meiri ^c, Avi Sadeh ^a, Liat Tikotzky

* Corresponding author.

Department of Psychology
Ben-Gurion University of the Negev, Beer-Sheva, Israel
+972-54-5497243
E-mail address: liatti@bgu.ac.il (L. Tikotzky).

Avi Sadeh, one of the main contributors to this study, passed away in September of 2016.

ABSTRACT

Background: Low parental tolerance for crying has been associated with infant sleep problems, yet the directionality of this link remained unclear. This longitudinal study aimed to assess the synchronous and prospective bidirectional links between parental cry-tolerance, soothing, and infant sleep from pregnancy through 6 months postpartum.

^a The School of Psychological Sciences, Tel Aviv University, Tel Aviv, Israel

^b Department of Psychology, Ben-Gurion University of the Negev, Beer-Sheva, Israel

^c Faculty of Health Sciences, Ben-Gurion University of the Negev, Beer-Sheva, Israel

Download English Version:

https://daneshyari.com/en/article/8708945

Download Persian Version:

https://daneshyari.com/article/8708945

<u>Daneshyari.com</u>