Accepted Manuscript

Prevalence of sleep-disordered breathing in Japanese medical students based on type-3 out-of-center sleep test

Tsuguo Nishijima, Tetsuya Kizawa, Keisuke Hosokawa, Fumiyo Endo, Yoshihiko Kasai, Yoshihiro Yamashiro, Shigeu Sakurai

PII: \$1389-9457(17)30386-6

DOI: 10.1016/j.sleep.2017.09.023

Reference: SLEEP 3532

To appear in: Sleep Medicine

Received Date: 10 April 2017
Revised Date: 5 June 2017

Accepted Date: 8 September 2017

Please cite this article as: Nishijima T, Kizawa T, Hosokawa K, Endo F, Kasai Y, Yamashiro Y, Sakurai S, Prevalence of sleep-disordered breathing in Japanese medical students based on type-3 out-of-center sleep test, *Sleep Medicine* (2017), doi: 10.1016/j.sleep.2017.09.023.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Prevalence of sleep-disordered breathing in Japanese medical students based on type-3 out-of-center sleep test

Tsuguo Nishijima *, Tetsuya Kizawa, Keisuke Hosokawa, Fumiyo Endo, Yoshihiko Kasai, Yoshihiro Yamashiro, Shigeu Sakurai

Division of Behavioral Sleep Medicine, Iwate Medical University School of Medicine, Morioka, Japan

Corresponding author: Division of Behavioral Sleep Medicine, Iwate Medical University School of Medicine, 19-1 Uchimaru, Morioka City, Iwate Prefecture, 0208505 Japan. Tel.: +81 19 651 5111 (ext. 3357); fax: +81 19 624 5030.

E-mail address: tsuguo@iwate-med.ac.jp (T. Nishijima).

Download English Version:

https://daneshyari.com/en/article/8709175

Download Persian Version:

https://daneshyari.com/article/8709175

<u>Daneshyari.com</u>