



Title: Factors correlated with repeated aspirin dosing during aspirin desensitization

Authors: Charles F. Schuler IV, M.D.¹, James L. Baldwin, M.D.¹, Alan P. Baptist, M.D., M.P.H.¹

Affiliations: ¹Division of Allergy and Clinical Immunology, Michigan Medicine, University of Michigan, Ann Arbor, Michigan, USA

Corresponding Author information:

Charles F. Schuler IV, Fellow, Division of Allergy and Clinical Immunology

Address: Domino's Farms, 24 Frank Lloyd Wright Drive, PO Box 442, Suite H-2100, Ann Arbor, MI, 48106-0442

Telephone: 734-936-5634

Fax: 734-647-6263

Email: schulerc@med.umich.edu

Conflict of Interest: None

Funding Source: No direct funding source was used for this research. Charles Schuler's salary is partially supported by federal NRSA grant 5 T32 HL7517-35.

Clinical Trial Registration: Not applicable

Keywords: Aspirin-exacerbated respiratory disease; triad asthma; aspirin desensitization; aspirin challenge; aspirin reactions; asthma; sinusitis; nasal polyps; oral challenge; drug allergy; drug desensitization

Abbreviations/Acronyms: aspirin-exacerbated respiratory disease (AERD), forced expiratory volume in 1 second (FEV1), non-steroidal anti-inflammatory drug (NSAID), leukotriene-modifying drugs (LMDs), Institutional Review Board on Human Subjects (IRB), aspirin (ASA), body mass index (BMI), national health and nutrition examination

Download English Version:

<https://daneshyari.com/en/article/8711673>

Download Persian Version:

<https://daneshyari.com/article/8711673>

[Daneshyari.com](https://daneshyari.com)