


Accepted Manuscript

Interaction of DJ-1 with Lyn is essential for IgE-mediated stimulation of human mast cells

Do-Kyun Kim, PhD, Michael A. Beaven, PhD, Dean D. Metcalfe, MD, Ana Olivera, PhD



PII: S0091-6749(17)31579-8

DOI: [10.1016/j.jaci.2017.08.030](https://doi.org/10.1016/j.jaci.2017.08.030)

Reference: YMAI 13044

To appear in: *Journal of Allergy and Clinical Immunology*

Received Date: 27 March 2017


Revised Date: 28 July 2017

Accepted Date: 11 August 2017

Please cite this article as: Kim D-K, Beaven MA, Metcalfe DD, Olivera A, Interaction of DJ-1 with Lyn is essential for IgE-mediated stimulation of human mast cells, *Journal of Allergy and Clinical Immunology* (2017), doi: 10.1016/j.jaci.2017.08.030.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

DJ-1 is Essential for Maximal IgE-Mediated Activation of Human Mast Cells



DJ-1: Antioxidant protein PARK7; OX-DJ-1: Oxidized DJ-1; Lyn: Src tyrosine kinase; ROS: Reactive Oxygen Species; Syk: Spleen tyrosine kinase, SHP-2: Src homology domain 2-containing protein tyrosine phosphatase 2

Download English Version:

<https://daneshyari.com/en/article/8713018>

Download Persian Version:

<https://daneshyari.com/article/8713018>

[Daneshyari.com](https://daneshyari.com)