

# Accepted Manuscript

Histamine and TLR ligands synergistically induce endothelial-cell gap-formation by the extrinsic coagulating pathway

Yuhki Yanase, PhD, Satoshi Morioke, MD, PhD, Kazumasa Iwamoto, MD, PhD, Shunsuke Takahagi, MD, PhD, Kazue Uchida, MSc, Tomoko Kawaguchi, MSc, Kaori Ishii, PhD, Izumi Hide, PhD, Michihiro Hide, MD, PhD

PII: S0091-6749(17)31314-3

DOI: [10.1016/j.jaci.2017.07.026](https://doi.org/10.1016/j.jaci.2017.07.026)

Reference: YMAI 12967

To appear in: *Journal of Allergy and Clinical Immunology*


Received Date: 21 February 2017

Revised Date: 26 June 2017

Accepted Date: 3 July 2017

Please cite this article as: Yanase Y, Morioke S, Iwamoto K, Takahagi S, Uchida K, Kawaguchi T, Ishii K, Hide I, Hide M, Histamine and TLR ligands synergistically induce endothelial-cell gap-formation by the extrinsic coagulating pathway, *Journal of Allergy and Clinical Immunology* (2017), doi: 10.1016/j.jaci.2017.07.026.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**TITLE PAGE****Letter to the Editor****Histamine and TLR ligands synergistically induce endothelial-cell gap-formation by the extrinsic coagulating pathway**

Yuhki Yanase, PhD<sup>1</sup>, Satoshi Morioke, MD, PhD<sup>1</sup>, Kazumasa Iwamoto, MD, PhD<sup>1</sup>, Shunsuke Takahagi, MD, PhD<sup>1</sup>, Kazue Uchida, MSc<sup>1</sup>, Tomoko Kawaguchi, MSc<sup>1</sup>, Kaori Ishii, PhD<sup>1</sup>, Izumi Hide, PhD<sup>2</sup>, Michihiro Hide<sup>1</sup>, MD, PhD<sup>1\*</sup>

<sup>1</sup>Department of Dermatology, Institute of Biomedical & Health Sciences, Hiroshima University, Hiroshima, Hiroshima, Japan. <sup>2</sup>Department of Molecular and Pharmacological Neuroscience, Institute of Biomedical & Health Sciences, Hiroshima University, Hiroshima, Hiroshima, Japan.

**Corresponding author**

Michihiro Hide

Department of Dermatology, Institute of Biomedical and Health Sciences, Hiroshima University,

1-2-3, Kasumi, Minami-ku, Hiroshima 734-8551, Japan

Tel: +81 82 257 5237. Fax: +81 82 257 5239

E-mail address: [ed1h-w1de-road@hiroshima-u.ac.jp](mailto:ed1h-w1de-road@hiroshima-u.ac.jp)

Download English Version:

<https://daneshyari.com/en/article/8713398>

Download Persian Version:

<https://daneshyari.com/article/8713398>

[Daneshyari.com](https://daneshyari.com)