Accepted Manuscript

Adhesion-induced eosinophil cytolysis requires the RIPK3-MLKL signaling pathway which is counter-regulated by autophagy

Susanne Radonjic-Hoesli, MD, Xiaoliang Wang, PhD, Elisabeth de Graauw, MD, Christina Stoeckle, PhD, Beata Styp-Rekowska, PhD, Ruslan Hlushchuk, PhD, Dagmar Simon, MD, Peter J. Spaeth, PhD, Shida Yousefi, PhD, Hans-Uwe Simon, MD, PhD



PII: S0091-6749(17)30584-5

DOI: 10.1016/j.jaci.2017.01.044

Reference: YMAI 12746

To appear in: Journal of Allergy and Clinical Immunology

Received Date: 29 September 2016

Revised Date: 22 December 2016

Accepted Date: 12 January 2017

Please cite this article as: Radonjic-Hoesli S, Wang X, de Graauw E, Stoeckle C, Styp-Rekowska B, Hlushchuk R, Simon D, Spaeth PJ, Yousefi S, Simon H-U, Adhesion-induced eosinophil cytolysis requires the RIPK3-MLKL signaling pathway which is counter-regulated by autophagy, *Journal of Allergy and Clinical Immunology* (2017), doi: 10.1016/j.jaci.2017.01.044.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Adhesion-induced eosinophil cytolysis requires the RIPK3-MLKL signaling pathway which is counter-regulated by autophagy

Running title: Mechanism of adhesion-induced eosinophil cytolysis

Susanne Radonjic-Hoesli, MD,^{a,b} Xiaoliang Wang, PhD,^a Elisabeth de Graauw, MD,^a Christina Stoeckle, PhD,^{a,*} Beata Styp-Rekowska, PhD,^c Ruslan Hlushchuk, PhD,^c Dagmar Simon, MD,^b Peter J. Spaeth, PhD,^a Shida Yousefi, PhD,^a and Hans-Uwe Simon, MD, PhD^a

From ^athe Institute of Pharmacology, University of Bern, Bern; ^bthe Department of Dermatology, Inselspital, Bern University Hospital, University of Bern, Bern; and ^cthe Institute of Anatomy, University of Bern, Bern, Switzerland.

*Current address: Novartis Institutes for Biomedical Research, Novartis Pharma AG, Basel, Switzerland

Supported by the Swiss National Science Foundation (grant numbers 310030_146181 and 310030_166473, both to H.U.S., and grant number 310030_146215 to S.Y.) and the Foundation Allergiestiftung Ulrich Müller-Gierok, Bern (to S.R.H. and H.U.S.). S.R.H. participated in a MD-PhD program funded by the Swiss National Science Foundation.

Disclosure of potential conflict of interest: The authors declare no conflict of interest.

Corresponding author: Hans-Uwe Simon, Institute of Pharmacology, University of Bern, Inselspital, INO-F, CH-3010 Bern, Switzerland. Phone: +41-31-632-3281; Fax: +41-31-632-4992; E-mail: hus@pki.unibe.ch Download English Version:

https://daneshyari.com/en/article/8713925

Download Persian Version:

https://daneshyari.com/article/8713925

Daneshyari.com