

Accepted Manuscript

Lack of interaction between NEMO and SHARPIN impairs linear ubiquitination and NF- κ B activation, and leads to incontinentia pigmenti

E. Bal, E. Laplantine, Y. Hamel, V. Dubosclard, B. Boisson, A. Pescatore, C. Picard, S. Hadj-Rabia, G. Royer, J. Steffann, J.P. Bonnefont, V.M. Ursini, P. Vabres, A. Munnich, J.L. Casanova, C. Bodemer, R. Weil, F. Agou, A. Smahi

PII: S0091-6749(17)30321-4

DOI: [10.1016/j.jaci.2016.11.056](https://doi.org/10.1016/j.jaci.2016.11.056)

Reference: YMAI 12661

To appear in: *Journal of Allergy and Clinical Immunology*

Received Date: 7 March 2016

Revised Date: 31 October 2016

Accepted Date: 21 November 2016



Please cite this article as: Bal E, Laplantine E, Hamel Y, Dubosclard V, Boisson B, Pescatore A, Picard C, Hadj-Rabia S, Royer G, Steffann J, Bonnefont J, Ursini V, Vabres P, Munnich A, Casanova J, Bodemer C, Weil R, Agou F, Smahi A, Lack of interaction between NEMO and SHARPIN impairs linear ubiquitination and NF- κ B activation, and leads to incontinentia pigmenti, *Journal of Allergy and Clinical Immunology* (2017), doi: 10.1016/j.jaci.2016.11.056.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Lack of interaction between NEMO and SHARPIN impairs linear ubiquitination and NF- κ B activation, and leads to incontinentia pigmenti

Bal E¹, Laplantine E², Hamel Y¹, Dubosclard V³, Boisson B^{4,5}, Pescatore A⁶, Picard C^{4,5,7}, Hadj-Rabia S^{1,8}, Royer G¹, Steffann J¹, Bonnefont JP¹, Ursini VM⁶, Vabres P⁹, Munnich A¹, Casanova JL^{4,5,10}, Bodemer C^{1,8}, Weil R², Agou F³ and Smahi A^{1*}

¹ INSERM U1163- Paris-Descartes University, Sorbonne Paris Cité, IMAGINE Institute, Necker Hospital Enfants-Malades, 24 boulevard du Montparnasse, F-75015 Paris, France.

² Laboratory of Signaling and Pathogenesis, CNRS UMR 3691, Institut Pasteur, F-75724 Paris, France

³ Unité de Signalisation et Pathogénèse, Département de Biologie Cellulaire et Infection, Institut Pasteur, 25 rue du Docteur Roux, F-75724 Paris, France.

⁴ Rockefeller Branch, St. Giles Laboratory of Human Genetics of Infectious Diseases, The Rockefeller University, New York, NY, USA

⁵ Necker Branch, Laboratory of Human Genetics of Infectious Diseases, UMR 1163, Paris-Descartes University, Sorbonne Paris Cité, IMAGINE Institute, Necker Hospital Enfants-Malades, F-75015 Paris, France

⁶ Institute of Genetics and Biophysics “Adriano Buzzati-Traverso” (CNR), 80131 Naples, Italy.

⁷ Immunodeficiency Study Center, Necker Children’s Hospital, AP-HP, F-75015 Paris, France

⁸ Service de Dermatologie et Centre de Référence des Maladies Génétiques à Expression Cutanée (MAGEC), Hôpital Necker-Enfants Malades, 149 rue de Sèvres, F-75015 Paris, France.

⁹ Département de Dermatologie, CHU Dijon, Faculté de Médecine Université de Bourgogne, EA4271 Génétique des Anomalies du Développement, Hôpital du Bocage, BP 77908, F-21079 Dijon cedex, France

¹⁰ Pediatric Hematology, Immunology & Rheumatology Unit, Necker Children’s Hospital, AP-HP, F-75015 Paris, France.

*Corresponding author: asma.smahi@inserm.fr

Download English Version:

<https://daneshyari.com/en/article/8713931>

Download Persian Version:

<https://daneshyari.com/article/8713931>

[Daneshyari.com](https://daneshyari.com)