

Accepted Manuscript

Food protein-induced enterocolitis syndromes with and without bloody stool have distinct clinicopathological features

Hideaki Morita, MD, PhD, Hiroko Suzuki, MD, PhD, Kanami Orihara, PhD, Kenichiro Motomura, MD, Akio Matsuda, PhD, Yukihiro Ohya, MD, PhD, Hirohisa Saito, MD, PhD, Ichiro Nomura, MD, PhD, Kenji Matsumoto, MD, PhD

PII: S0091-6749(17)30987-9

DOI: [10.1016/j.jaci.2017.06.002](https://doi.org/10.1016/j.jaci.2017.06.002)

Reference: YMAI 12868

To appear in: *Journal of Allergy and Clinical Immunology*

Received Date: 6 February 2017

Revised Date: 23 May 2017

Accepted Date: 1 June 2017

Please cite this article as: Morita H, Suzuki H, Orihara K, Motomura K, Matsuda A, Ohya Y, Saito H, Nomura I, Matsumoto K, Food protein-induced enterocolitis syndromes with and without bloody stool have distinct clinicopathological features, *Journal of Allergy and Clinical Immunology* (2017), doi: 10.1016/j.jaci.2017.06.002.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Letter to the Editor

Food protein-induced enterocolitis syndromes with and without bloody stool have distinct clinicopathological features

Hideaki Morita, MD, PhD^a, Hiroko Suzuki, MD, PhD^a, Kanami Orihara, PhD,^{a,b}, Kenichiro Motomura, MD^a, Akio Matsuda, PhD^a, Yukihiro Ohya, MD, PhD^c, Hirohisa Saito, MD, PhD^a, Ichiro Nomura, MD, PhD^{a,c}, Kenji Matsumoto, MD, PhD^a

^aDepartment of Allergy and Clinical Immunology, National Research Institute for Child Health and Development, Tokyo

^bWaseda Institute for Advanced Study, Waseda University, Tokyo.

^cDivision of Allergy, National Center for Child Health and Development, Tokyo.

Address correspondence to Hideaki Morita, MD, PhD, and Kenji Matsumoto, MD, PhD.

Department of Allergy and Clinical Immunology, National Research Center for Child Health and Development, Tokyo

2-10-1 Okura, Setagaya-ku, Tokyo, 157-8535 Japan

Phone: +81-3-3416-0181 (Ext. 4950) FAX: +81-3-5494-7173

E-mail: morita-hi@ncchd.go.jp (Hideaki Morita), and matsumoto-k@ncchd.go.jp (Kenji Matsumoto)

Supported in part by Health and Labour Sciences Research Grants, Research on Intractable Diseases from the Ministry of Health, Labour and Welfare, Japan (H26 Nanchi-048 to IN), JSPS KAKENHI (Grant-in-Aid for Young Scientists (B 15K19580 to KO) and grants from the Japan Agency for Medical Research and Development, AMED (15ek0109108h0001 to KM and 15ek0109117h0001 to IN).

Disclosure of potential conflicts of interest: The authors declare that they have no conflicts of interest.

Download English Version:

<https://daneshyari.com/en/article/8713946>

Download Persian Version:

<https://daneshyari.com/article/8713946>

[Daneshyari.com](https://daneshyari.com)