## Accepted Manuscript

Attenuated activation of homeostatic glucocorticoid in keratinocytes induces alloknesis via aberrant artemin production

Akira Matsumoto, Hiroyuki Murota, Mika Terao, Ichiro Katayama

PII: S0022-202X(18)30131-3

DOI: 10.1016/j.jid.2018.02.010

Reference: JID 1296

To appear in: The Journal of Investigative Dermatology

Received Date: 29 November 2017

Revised Date: 24 January 2018

Accepted Date: 3 February 2018

Please cite this article as: Matsumoto A, Murota H, Terao M, Katayama I, Attenuated activation of homeostatic glucocorticoid in keratinocytes induces alloknesis via aberrant artemin production, *The Journal of Investigative Dermatology* (2018), doi: 10.1016/j.jid.2018.02.010.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



#### ACCEPTED MANUSCRIPT

### Attenuated activation of homeostatic glucocorticoid in keratinocytes induces alloknesis

via aberrant artemin production.

#### Akira Matsumoto<sup>1,2</sup>, Hiroyuki Murota<sup>1\*</sup>, Mika Terao<sup>1</sup>, and Ichiro Katayama<sup>1</sup>

<sup>1</sup>Dermatology, Department of Integrated Medicine, Graduate School of Medicine, Osaka

University, Osaka, Japan

<sup>2</sup>Pharmacology Department, Drug Research Center, Kaken Pharmaceutical Co., Ltd., Kyoto,

Japan

\*Corresponding Author: Hiroyuki Murota

Dermatology, Department of Integrated Medicine, Graduate School of Medicine, Osaka

University

2-2 Yamadaoka, Suita, Osaka 565-0871, Japan

Tel: +81 668 79 3031; Fax: +81 668 79 3039; e-mail: <u>h-murota@derma.med.osaka-u.ac.jp</u>

Short title: Homeostatic glucocorticoid activation in alloknesis

**Abbreviations:** AD, atopic dermatitis; HSD11 β1, 11β-hydroxysteroid dehydrogenase-1; GCs, glucocorticoids; Hsd11b1<sup>KC-/-</sup>, keratinocyte-specific Hsd11b1-knockout; WT, wild-type; PGP9.5, protein gene product 9.5; ARTN, artemin; TSLP, thymic stromal lymphopoietin; GR, Download English Version:

# https://daneshyari.com/en/article/8715841

Download Persian Version:

https://daneshyari.com/article/8715841

Daneshyari.com