Accepted Manuscript

Title: Pre-injury Depression and Anxiety in Patients with Orthopedic Trauma and their Treatment

Authors: Edward Haupt, Heather K. Vincent, Andrew Harris, Terrie Vasilopoulos, Robert Guenther, Sharareh Sharififar, Jennifer E. Hagen

PII: S0020-1383(18)30136-0

DOI: https://doi.org/10.1016/j.injury.2018.03.024


Reference: JINJ 7629

To appear in: Injury, Int. J. Care Injured

Accepted date: 20-3-2018

Please cite this article as: Haupt Edward, Vincent Heather K, Harris Andrew, Vasilopoulos Terrie, Guenther Robert, Sharififar Sharareh, Hagen Jennifer E.Pre-injury Depression and Anxiety in Patients with Orthopedic Trauma and their Treatment. *Injury* https://doi.org/10.1016/j.injury.2018.03.024

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Pre-injury Depression and Anxiety in Patients with Orthopedic Trauma and their

Treatment

Edward Haupt¹, Heather K. Vincent¹, Andrew Harris¹, Terrie Vasilopoulos^{1,2}, Robert

Guenther³, Sharareh Sharififar¹ and Jennifer E. Hagen¹

January 10, 2018

¹ Departments of Orthopaedics and Rehabilitation, ²Anesthesiology and ³Clinical

Psychology, University of Florida, Gainesville, Florida, 32611 USA

Corresponding Author:

Jennifer E. Hagen, MD

PO Box 112727, 3450 Hull Road

UF Health Orthopaedics and Sports Medicine Institute

University of Florida

Gainesville, FL 32608

Office: 352-273-7016

FAX: 352-273-7388

Email: hagenje@ortho.ufl.edu

Revision number: Ms. No. JINJ-D-18-00060

Abstract:

Purpose: Depressive symptoms have a known negative impact on outcomes

following musculoskeletal injury. This study determined the pre-injury prevalence

of psychiatric diagnoses of depression and anxiety, medication lapses and

psychiatric consult services among patients admitted for orthopaedic trauma.

Methods: This is a retrospective study of data from our Level-1 trauma center. Patients

admitted to the orthopaedic trauma service during 2010-2015 were included (N=4,053).

Demographics, Injury Severity Scores (ISS), mental health diagnoses, psychotropic

medications, medication type and delay, psychiatric consultation use, intensive care unit

Download English Version:

https://daneshyari.com/en/article/8718595

Download Persian Version:

https://daneshyari.com/article/8718595

<u>Daneshyari.com</u>