Accepted Manuscript

Peripheral blood monocytes reveal an activated phenotype in pediatric uveitis

Karoline Walscheid, Lisa Neekamp, Arnd Heiligenhaus, Toni Weinhage, Dirk Holzinger, Carsten Heinz, Maren Kasper, Dirk Foell

PII:	\$1521-6616(17)30425-4
DOI:	doi: 10.1016/j.clim.2017.09.014
Reference:	YCLIM 7937
To appear in:	Clinical Immunology
Received date:	8 June 2017
Revised date:	18 August 2017
Accepted date:	14 September 2017



Please cite this article as: Karoline Walscheid, Lisa Neekamp, Arnd Heiligenhaus, Toni Weinhage, Dirk Holzinger, Carsten Heinz, Maren Kasper, Dirk Foell, Peripheral blood monocytes reveal an activated phenotype in pediatric uveitis. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Yclim(2017), doi: 10.1016/j.clim.2017.09.014

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Peripheral blood monocytes reveal an activated phenotype in pediatric uveitis

Karoline Walscheid, MD^{1,2}, Lisa Neekamp², Arnd Heiligenhaus, MD^{1,3}, Toni Weinhage, PhD², Dirk Holzinger, MD², Carsten Heinz, MD^{1,3}, Maren Kasper, PhD¹, Dirk Foell, MD²

¹ Department of Ophthalmology and Ophtha Lab at St. Franziskus-Hospital Muenster, Germany

² Department of Pediatric Rheumatology and Immunology, University Hospital Muenster, Germany

³ Department of Ophthalmology, University of Duisburg-Essen, Germany

Corresponding author

Karoline Walscheid, MD, Department of Ophthalmology at St. Franziskus-Hospital, Hohenzollernring 74, 48145 Muenster, Germany Phone: +49-251-935-2711. Fax: +49-251-935-2719

e-mail: karoline.walscheid@uveitis-zentrum.de

Financial disclosure: None of the authors has a financial or proprietary interest in any of the material or the method presented.

Abstract

Objective: To characterize peripheral blood monocytes in uveitis associated with juvenile idiopathic arthritis (JIAU).

Methods: Peripheral blood monocytes from children with JIA (either with (n=18) or without uveitis (n=11)), idiopathic anterior uveitis (IAU; n=12) and healthy controls (n=11) were analyzed by flow cytometry.

Download English Version:

https://daneshyari.com/en/article/8721333

Download Persian Version:

https://daneshyari.com/article/8721333

Daneshyari.com