Accepted Manuscript

Title: The benefits of soluble non-bacterial fraction of kefir on blood pressure and cardiac hypertrophy in hypertensive rats are mediated by an increase in baroreflex sensitivity and decrease in angiotensin-converting enzyme activity

Author: Girlandia Alexandre Brasil, Mirian de Almeida Silva-Cutini, Flávia de Souza Andrade Moraes, Thiago de Melo Costa Pereira, Elisardo Corral Vasquez, Dominik Lenz, Nazaré Souza Bissoli, Denise Coutinho Endringer,

Ewelyne Miranda de Lima, Vinícia Campana Biancardi, June Ferreira Maia, Tadeu Uggere de Andrade

PII:	S0899-9007(18)30024-8
DOI:	https://doi.org/10.1016/j.nut.2017.12.007
Reference:	NUT 10118
To appear in:	Nutrition
Received date:	28-6-2017
Revised date:	1-12-2017
Accepted date:	28-12-2017

Please cite this article as: Girlandia Alexandre Brasil, Mirian de Almeida Silva-Cutini, Flávia de Souza Andrade Moraes, Thiago de Melo Costa Pereira, Elisardo Corral Vasquez, Dominik Lenz, Nazaré Souza Bissoli, Denise Coutinho Endringer, Ewelyne Miranda de Lima, Vinícia Campana Biancardi, June Ferreira Maia, Tadeu Uggere de Andrade, The benefits of soluble non-bacterial fraction of kefir on blood pressure and cardiac hypertrophy in hypertensive rats are mediated by an increase in baroreflex sensitivity and decrease in angiotensin-converting enzyme activity, *Nutrition* (2018), https://doi.org/10.1016/j.nut.2017.12.007.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

1 The benefits of soluble non-bacterial fraction of kefir on blood

2 pressure and cardiac hypertrophy in hypertensive rats are

3 mediated by an increase in baroreflex sensitivity and decrease

4 in angiotensin-converting enzyme activity

Girlandia Alexandre Brasil¹, PhD, Mirian de Almeida Silva-Cutini^{1,3}, Msc, Flávia
de Souza Andrade Moraes¹, Msc, Thiago de Melo Costa Pereira¹, PhD, Elisardo
Corral Vasquez¹, PhD, Dominik Lenz¹, PhD, Nazaré Souza Bissoli², PhD,
Denise Coutinho Endringer¹, PhD, Ewelyne Miranda de Lima¹, PhD, Vinícia
Campana Biancardi³, PhD, June Ferreira Maia¹, PhD, Tadeu Uggere de
Andrade^{1*}, PhD

11

Pharmaceutical Sciences Graduate Program, University Vila Velha, Vila
 Velha, ES – Brazil

14 2 - Physiological Sciences Department, Health Sciences Center Federal

15 University of Espirito Santo, Vitória, ES – Brazil

16 3 - Department of Anatomy, Physiology and Pharmacology, Auburn University,

17 College of Veterinary Medicine, Auburn, AL –United States

18

19 Running Title: Soluble non-bacterial fraction of kefir and ACE activity

- 20 * **Corresponding author:**
- 21 Tadeu Uggere de Andrade, PhD
- 22 Pharmaceutical Sciences Graduate Program (UVV)
- 23 Phone: 55-27-3421-2091 Fax: 55-27-3421-2087

Page 1of41

Download English Version:

https://daneshyari.com/en/article/8723712

Download Persian Version:

https://daneshyari.com/article/8723712

Daneshyari.com