

Improved Diet Quality Associates With Reduction in Liver Fat—Particularly in Individuals With High Genetic Risk Scores for Nonalcoholic Fatty Liver Disease

Authors: Jiantao Ma ¹, Rachel Hennein ¹, Chunyu Liu ¹, Michelle T. Long ², Udo Hoffmann ³, Paul F. Jacques ⁴, Alice H. Lichtenstein ⁵, Frank B. Hu ⁶, Daniel Levy ¹

Affiliations:

1. Population Sciences Branch, National Heart, Lung, and Blood Institute, National Institutes of Health, Bethesda, Maryland and the Framingham Heart Study, Framingham, Massachusetts, USA, 01702
2. Section of Gastroenterology, Evans Department of Medicine, Boston University School of Medicine, Boston, Massachusetts, USA, 02118
3. Radiology Department, Massachusetts General Hospital, Harvard Medical School, Boston, Massachusetts, USA, 02114
4. Nutrition Epidemiology Program, USDA Human Nutrition Research Center on Aging at Tufts University, Boston, Massachusetts, USA, 02111
5. Cardiovascular Nutrition Laboratory, USDA Human Nutrition Research Center on Aging at Tufts University, Boston, Massachusetts, USA, 02111
6. Department of Nutrition, Harvard T.H. Chan School of Public Health, Boston, Massachusetts, USA, 02115

Correspondence to: Daniel Levy, MD, Framingham Heart Study, Framingham, MA, and the Population Sciences Branch, National Heart, Lung, and Blood Institute, National Institutes of Health, Bethesda, MD.
Email: levyd@nhlbi.nih.gov

Word counts: 6,978

Download English Version:

<https://daneshyari.com/en/article/8726354>

Download Persian Version:

<https://daneshyari.com/article/8726354>

[Daneshyari.com](https://daneshyari.com)