

Histologic Factors Associated With Need for Surgery in Patients With Pedunculated T1 Colorectal Carcinomas

Yara Backes, Sjoerd G. Elias, John N. Groen, Matthijs P. Schwartz, Frank H.J. Wolfhagen, Joost M.J. Geesing, Frank ter Borg, Jeroen van Bergeijk, Bernhard W.M. Spanier, Wouter H. de Vos tot Nederveen Cappel, Koen Kessels, Cornelis A. Seldenrijk, Mihaela G. Raicu, Paul Drillenburgh, Anya N. Milne, Marjon Kerkhof, Tom C.J. Seerden, Peter D. Siersema, Frank P. Vleggaar, G.Johan A. Offerhaus, Miangela M. Lacle, Leon M.G. Moons

PII: S0016-5085(18)30063-5
DOI: [10.1053/j.gastro.2018.01.023](https://doi.org/10.1053/j.gastro.2018.01.023)
Reference: YGAST 61632









To appear in: *Gastroenterology*
Accepted Date: 10 January 2018

Please cite this article as: Backes Y, Elias SG, Groen JN, Schwartz MP, Wolfhagen FHJ, Geesing JMJ, Borg Ft, van Bergeijk J, Spanier BWM, de Vos tot Nederveen Cappel WH, Kessels K, Seldenrijk CA, Raicu MG, Drillenburgh P, Milne AN, Kerkhof M, Seerden TCJ, Siersema PD, Vleggaar FP, Offerhaus GJA, Lacle MM, Moons LMG, on behalf of the Dutch T1 CRC Working Group, Histologic Factors Associated With Need for Surgery in Patients With Pedunculated T1 Colorectal Carcinomas, *Gastroenterology* (2018), doi: 10.1053/j.gastro.2018.01.023.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Histologic Model For Pedunculated T1 Colorectal Carcinomas

 <p>Hospitals: 13</p>		 AUC	 Low-risk T1 CRC	 High-risk T1 CRC	 Missed metastasis
 <p>Pedunculated T1 CRC: 708</p>	Conventional model 1 (ASGE/ESGE)	0.67	43%	57%	1.3%
 <p>Metastasis: 5.2%</p>	Conventional model 2 (JSCCR)	0.64	35%	65%	1.2%
	Our new model	0.83	68%	32%	1.3%

Gastroenterology

Download English Version:

<https://daneshyari.com/en/article/8726625>

Download Persian Version:

<https://daneshyari.com/article/8726625>

[Daneshyari.com](https://daneshyari.com)