Accepted Manuscript

Increased Tryptophan Metabolism is Associated With Activity of Inflammatory Bowel Diseases

Susanna Nikolaus, Berenice Schulte, Natalie Al-Massad, Florian Thieme, Dominik M. Schulte, Johannes Bethge, Ateequr Rehman, Florian Tran, Konrad Aden, Robert Häsler, Natalie Moll, Gregor Schütze, Markus J. Schwarz, Georg H. Waetzig, Philip Rosenstiel, Michael Krawczak, Silke Szymczak, Stefan Schreiber

PII: S0016-5085(17)36061-4 DOI: 10.1053/j.gastro.2017.08.028

Reference: YGAST 61374

To appear in: Gastroenterology Accepted Date: 14 August 2017

Please cite this article as: Nikolaus S, Schulte B, Al-Massad N, Thieme F, Schulte DM, Bethge J, Rehman A, Tran F, Aden K, Häsler R, Moll N, Schütze G, Schwarz MJ, Waetzig GH, Rosenstiel P, Krawczak M, Szymczak S, Schreiber S, Increased Tryptophan Metabolism is Associated With Activity of Inflammatory Bowel Diseases, *Gastroenterology* (2017), doi: 10.1053/j.gastro.2017.08.028.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

<u>Title:</u> Increased Tryptophan Metabolism is Associated With Activity of Inflammatory Bowel Diseases

Short Title: Tryptophan in inflammatory bowel diseases

<u>Authors:</u> Susanna Nikolaus^{1*}, Berenice Schulte^{1*}, Natalie Al-Massad¹, Florian Thieme², Dominik M. Schulte¹, Johannes Bethge¹, Ateequr Rehman⁵, Florian Tran^{1,5}, Konrad Aden^{1,5}, Robert Häsler⁵, Natalie Moll³, Gregor Schütze³, Markus J. Schwarz³, Georg H. Waetzig⁴, Philip Rosenstiel⁵, Michael Krawczak⁶, Silke Szymczak⁶ and Stefan Schreiber^{1,5}

¹Department of Internal Medicine I, University Hospital Schleswig-Holstein, Kiel, Germany; ²Institute of Clinical Chemistry, University Hospital Schleswig-Holstein, Kiel, Germany; ³Institute of Laboratory Medicine, Medical Center of Ludwig Maximilian University (LMU), Munich, Germany; ⁴CONARIS Research Institute AG, Kiel, Germany; ⁵Institute of Clinical Molecular Biology, University of Kiel, Germany; ⁶Institute of Medical Informatics and Statistics, University of Kiel, Germany;

*These authors equally contributed to the work

Acknowledgement and grant Support: Grant support from the DFG Excellence Cluster "Inflammation at Interfaces" and BMBF e-med SYSINFLAME and H2020 SysCID under grant agreement n# 733100. We are indebted to Jan-Henrik Egberts and Charlotte Hauser from the Department of Surgery (UKSH) for the surgical case data.

Abbreviations: ACE, angiotensin-converting enzyme; AHR, aryl hydrocarbon receptor; ANT, anthranilic acid; ATP, adenosine triphosphate; AUC, area under the curve; BMI, body mass index; CAI, clinical activity index for ulcerative colitis; CARD9, caspase recruitment domain family member 9; CI, confidence interval; CD, Crohn's disease; CDAI, Crohn's disease activity index; CRP, C-reactive protein; DSS, dextran sulfate sodium; GPR, G-protein coupled receptor; 3-HAA, 3-hydroxyanthranilic acid; HBI, Harvey-Bradshaw-Index; 3-HK, 3-hydroxykynurenine; IBD, inflammatory bowel diseases; IDO, indoleamine 2,3-dioxygenase; IFN, interferon; IL, Interleukin; KYA, kynurenic acid; KYN, kynurenine; LLOD, lower limit of

Download English Version:

https://daneshyari.com/en/article/8727365

Download Persian Version:

https://daneshyari.com/article/8727365

<u>Daneshyari.com</u>