

Accepted Manuscript



New technologies improve adenoma detection rate, adenoma miss rate and polyp detection rate: a systematic review and meta-analysis

Daniel Castaneda, M.D., Violeta B. Popov, M.D., PhD, Elijah Verheyen, M.D., Praneet Wander, M.D., Seth A. Gross, M.D.

PII: S0016-5107(18)30257-8

DOI: [10.1016/j.gie.2018.03.022](https://doi.org/10.1016/j.gie.2018.03.022)

Reference: YMGE 10998

To appear in: *Gastrointestinal Endoscopy*

Received Date: 27 October 2017

Accepted Date: 25 March 2018

Please cite this article as: Castaneda D, Popov VB, Verheyen E, Wander P, Gross SA, New technologies improve adenoma detection rate, adenoma miss rate and polyp detection rate: a systematic review and meta-analysis, *Gastrointestinal Endoscopy* (2018), doi: 10.1016/j.gie.2018.03.022.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title: New technologies improve adenoma detection rate, adenoma miss rate, and polyp detection rate: a systematic review and meta-analysis

Authors: Daniel Castaneda, M.D.^{1*}; Violeta B. Popov, M.D., PhD^{2*}; Elijah Verheyen, M.D.¹; Praneet Wander, M.D.³; Seth A. Gross, M.D.⁴

*These two authors contributed equally to this work.

Affiliation:

- 1) Internal Medicine Resident. Department of Medicine, Mount Sinai St. Luke's–West Hospitals, Icahn School of Medicine. 1000 Amsterdam Avenue, Suite 3A-09, New York, NY 10019. United States of America.
- 2) Director of Bariatric Endoscopy. Division of Gastroenterology, New York VA Harbor Healthcare, NYU School of Medicine. 423 E 23rd St, New York, NY 10010. United States of America.
- 3) Gastroenterology Fellow. Department of Gastroenterology, Northshore Long Island Jewish Hospital. 300 Community Drive, Manhasset, New York, NY 11030. United States of America.
- 4) Director, Clinical Care and Quality – Division of Gastroenterology, NYU Langone Health, NYU School of Medicine. 240 E 38th St, 23rd Floor, New York, NY 10016. United States of America.

Keywords: Adenoma; Polyp; Colorectal cancer; Colonoscopy; Detection.

Running Title: New Technologies for ADR and AMR – A Meta-Analysis

Contact Info – Corresponding Author:

Daniel Castaneda, M.D.

- E-mail: daniel.castaneda.m@gmail.com

- Phone number: 917-432-4186

- Address: 515 W 59th Street, Apt 31H, New York, NY, 10019. USA.

Word Count: 4,089 words.

Disclosure: Dr. Seth A. Gross is a consultant for Olympus Endosite Consulting; Dr. Violeta B. Popov received research support from Spatz and Apollo Endosurgery. The rest of the authors did not disclose any potential conflict of interests.

Funding: None of the authors included in this manuscript received financial support for the study.

Author Contributions: DC collaborated in the study concept/ design, literature search, data extraction, article filtering, data analysis and manuscript elaboration. EV and PW collaborated in the study design, performed the literature search, data extraction and manuscript proofreading. VP and SAG collaborated in the study design, performed the statistical analysis and interpretation and critical revision of the manuscript for important intellectual content.

Download English Version:

<https://daneshyari.com/en/article/8727754>

Download Persian Version:

<https://daneshyari.com/article/8727754>

[Daneshyari.com](https://daneshyari.com)