Accepted Manuscript

Safety and efficacy of lumen-apposing metal stents with and without simultaneous double-piqtail plastic stents for draining pancreatic pseudocysts

Murad Aburajab, Zachary Smith, Abdul Khan, Kulwinder Dua

PII: S0016-5107(17)32541-5

DOI: 10.1016/j.gie.2017.11.033

Reference: YMGE 10862


To appear in: Gastrointestinal Endoscopy

Received Date: 29 July 2017

Accepted Date: 20 November 2017

Please cite this article as: Aburajab M, Smith Z, Khan A, Dua K, Safety and efficacy of lumen-apposing metal stents with and without simultaneous double-pigtail plastic stents for draining pancreatic pseudocysts, *Gastrointestinal Endoscopy* (2018), doi: 10.1016/j.gie.2017.11.033.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Safety and efficacy of lumen-apposing metal stents with and without simultaneous double-pigtail plastic stents for draining pancreatic pseudocysts

Murad Aburajab

Zachary Smith

Abdul Khan

Kulwinder Dua

Department of Gastroenterology and Hepatology

Medical College of Wisconsin, Milwaukee, USA

Part of this work was presented at the Digestive Disease Week, San Diego, 2016 and abstracted in the journal Gastrointestinal Endoscopy

Corresponding address:

Kulwinder Dua, MD, FACP, FRCP, FASGE

Medical College of Wisconsin

9200, West Wisconsin Avenue, Milwaukee, WI 53226, USA

E-mail: kuda@mcw.edu Tel: 1 414 955 6712; Fax 1 414 955 6215

Download English Version:

https://daneshyari.com/en/article/8728030

Download Persian Version:

https://daneshyari.com/article/8728030

<u>Daneshyari.com</u>