


Accepted Manuscript



Effectiveness of endoscopic treatments for colonic diverticular bleeding

Naoki Ishii, M.D., Fumio Omata, M.D., M.P.H., Naoyoshi Nagata, M.D., Mitsuru Kasise, M.D.

PII: S0016-5107(17)32195-8

DOI: [10.1016/j.gie.2017.08.013](https://doi.org/10.1016/j.gie.2017.08.013)

Reference: YMGE 10707

To appear in: *Gastrointestinal Endoscopy*

Received Date: 31 May 2017

Revised Date: 0016-5107 0016-5107

Accepted Date: 6 August 2017

Please cite this article as: Ishii N, Omata F, Nagata N, Kasise M, Effectiveness of endoscopic treatments for colonic diverticular bleeding, *Gastrointestinal Endoscopy* (2017), doi: 10.1016/j.gie.2017.08.013.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Effectiveness of endoscopic treatments for colonic diverticular bleeding**Running head: Endoscopic treatments for CDB**

Naoki Ishii^{1,2}, M.D.

Fumio Omata², M.D., M.P.H.

Naoyoshi Nagata³, M.D.

Mitsuru Kasise³, M.D.

1. Gastroenterology division, Koga Hospital, Koga, Japan
2. Gastroenterology division, St. Luke's International Hospital, Tokyo, Japan
3. Division of Gastroenterology and Hepatology, National Center for Global Health and Medicine, Tokyo, Japan

Download English Version:

<https://daneshyari.com/en/article/8728390>

Download Persian Version:

<https://daneshyari.com/article/8728390>

[Daneshyari.com](https://daneshyari.com)