Accepted Manuscript

Additive endoscopic resection may be sufficient for the patients with positive lateral margin after endoscopic resection of early gastric cancer

Hae Won Kim, Jie-Hyun Kim, Jun Chul Park, Mi Young Jeon, Yong Chan Lee, Sang Kil Lee, Sung Kwan Shin, Hyun Soo Chung, Sung Hoon Noh, Jong Won Kim, Seung Ho Choi, Jae Jun Park, Young Hoon Youn, Hyojin Park

PII: S0016-5107(17)30183-9

DOI: 10.1016/j.gie.2017.02.037

Reference: YMGE 10452

To appear in: Gastrointestinal Endoscopy

Received Date: 3 August 2016

Accepted Date: 27 February 2017

Please cite this article as: Kim HW, Kim J-H, Park JC, Jeon MY, Lee YC, Lee SK, Shin SK, Chung HS, Noh SH, Kim JW, Choi SH, Park JJ, Youn YH, Park H, Additive endoscopic resection may be sufficient for the patients with positive lateral margin after endoscopic resection of early gastric cancer, *Gastrointestinal Endoscopy* (2017), doi: 10.1016/j.gie.2017.02.037.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Title page

Original article

Additive endoscopic resection may be sufficient for the patients with positive lateral margin after endoscopic resection of early gastric cancer

Hae Won Kim^{1,3,5}, Jie-Hyun Kim^{1,3,4}, Jun Chul Park^{1,4}, Mi Young Jeon^{1,4},

Yong Chan Lee^{1,4}, Sang Kil Lee^{1,4}, Sung Kwan Shin^{1,4}, Hyun Soo Chung^{1,4},

Sung Hoon Noh^{2, 4}, Jong Won Kim^{2,3,4}, Seung Ho Choi^{2,3,4},

Jae Jun Park^{1,3,4}, Young Hoon Youn^{1,3,4}, Hyojin Park^{1,3,4}

¹Department of Internal Medicine, Institute of Gastroenterology, ²Department of surgery, Division of Gastroenterology, ³Gangnam Severance Hospital, ⁴Yonsei University College of Medicine, Seoul, Korea, ⁵Digestive Disease Center and Research Institute, Soonchunhyang University School of Medicine, Bucheon

Running title: Treatment strategy for positive lateral margin after noncurative resection

Correspondence I. Jie-Hyun Kim, MD, PhD

Address: Department of Internal Medicine, Gangnam Severance Hospital, Yonsei University College of Medicine, 211 Eonjuro, Gangnam-gu, Seoul, Korea, 135-720

Phone: 82-2-2019-3505

Fax: 82-2-3463-3882

E-mail: otilia94@yuhs.ac

Correspondence II. Jun Chul Park, MD, PhD

Address: Division of Gastroenterology, Department of Internal Medicine, Severance Hospital, Institute of Gastroenterology, Yonsei University College of Medicine, 50 Yonsei-ro, Seodaemun-gu, Seoul, Korea, 120-752

Phone: 82-2-2228-2272

Fax: 82-2-2393-6884

E-mail: junchul75@yuhs.ac

Download English Version:

https://daneshyari.com/en/article/8728602

Download Persian Version:

https://daneshyari.com/article/8728602

Daneshyari.com