Accepted Manuscript

Pan-mTOR inhibitor MLN0128 is effective against intrahepatic cholangiocarcinoma induced in mice by AKT and Yap co-expression

Shanshan Zhang, Xinhua Song, Dan Cao, Zhong Xu, Biao Fan, Li Che, Junjie Hu, Bin Chen, Mingjie Dong, Maria G. Pilo, Antonio Cigliano, Katja Evert, Silvia Ribback, Frank Dombrowski, Rosa M. Pascale, Antonio Cossu, Gianpaolo Vidili, Alberto Porcu, Maria M. Simile, Giovanni M. Pes, Gianluigi Giannelli, John Gordan, Lixin Wei, Matthias Evert, Wenming Cong, Diego F. Calvisi, Xin Chen

PII: S0168-8278(17)32149-9

DOI: http://dx.doi.org/10.1016/j.jhep.2017.07.006

Reference: JHEPAT 6597

To appear in: Journal of Hepatology

Received Date: 14 December 2016

Revised Date: 29 June 2017 Accepted Date: 4 July 2017



Please cite this article as: Zhang, S., Song, X., Cao, D., Xu, Z., Fan, B., Che, L., Hu, J., Chen, B., Dong, M., Pilo, M.G., Cigliano, A., Evert, K., Ribback, S., Dombrowski, F., Pascale, R.M., Cossu, A., Vidili, G., Porcu, A., Simile, M.M., Pes, G.M., Giannelli, G., Gordan, J., Wei, L., Evert, M., Cong, W., Calvisi, D.F., Chen, X., Pan-mTOR inhibitor MLN0128 is effective against intrahepatic cholangiocarcinoma induced in mice by AKT and Yap co-expression, *Journal of Hepatology* (2017), doi: http://dx.doi.org/10.1016/j.jhep.2017.07.006

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Pan-mTOR inhibitor MLN0128 is effective against intrahepatic cholangiocarcinoma induced in mice by AKT and Yap co-expression

Shanshan Zhang^{1,2,7}, Xinhua Song^{3,7}, Dan Cao^{4,7}, Zhong Xu^{5,7}, Biao Fan^{6,7}, Li Che⁷, Junjie Hu^{7,8}, Bin Chen⁹, Mingjie Dong^{7,10}, Maria G. Pilo¹¹, Antonio Cigliano¹¹, Katja Evert¹², Silvia Ribback¹¹, Frank Dombrowski¹¹, Rosa M. Pascale¹³, Antonio Cossu¹⁴, Gianpaolo Vidili¹³, Alberto Porcu¹³, Maria M. Simile¹³, Giovanni M. Pes¹³, Gianluigi Giannelli¹⁵, John Gordan¹⁶, Lixin Wei², Matthias Evert¹², Wenming Cong¹, Diego F. Calvisi¹¹ and Xin Chen^{7,8}

¹Department of Pathology, Eastern Hepatobiliary Surgery Hospital, Second Military Medical University, Shanghai, China

²Tumor Immunology and Gene Therapy Center, Eastern Hepatobiliary Surgery Hospital, Second Military Medical University, Shanghai, China

³Beijing Advanced Innovation Center for Food Nutrition and Human Health, College of Food Science and Nutritional Engineering, China Agricultural University, Beijing, China ⁴Department of Medical Oncology, Cancer Center, State Key Laboratory of Biotherapy, West China Hospital, Sichuan University, Chengdu, Sichuan, China

⁵Department of Gastroenterology, Guizhou Provincial People's Hospital, Guizhou, China ⁶Department of Gastrointestinal Surgery, Key laboratory of Carcinogenesis and Translational Research, Peking University Cancer Hospital & Institute, Beijing, China ⁷Department of Bioengineering and Therapeutic Sciences and Liver Center, University of California, San Francisco, CA, USA

Download English Version:

https://daneshyari.com/en/article/8729722

Download Persian Version:

https://daneshyari.com/article/8729722

<u>Daneshyari.com</u>