

Accepted Manuscript

Sequencing of FIC1, BSEP and MDR3 in a large cohort of patients with cholestasis revealed a high number of different genetic variants

Carola Dröge, Michele Bonus, Ulrich Baumann, Caroline Klindt, Elke Lainka, Simone Kathemann, Florian Brinkert, Enke Grabhorn, Eva-Doreen Pfister, Daniel Wenning, Alexander Fichtner, Daniel N. Gotthardt, Karl Heinz Weiss, Patrick McKiernan, Ratna Dua Puri, IC Verma, Stefanie Kluge, Holger Gohlke, Lutz Schmitt, Ralf Kubitz, Dieter Häussinger, Verena Keitel


PII: S0168-8278(17)32147-5
DOI: <http://dx.doi.org/10.1016/j.jhep.2017.07.004>
Reference: JHEPAT 6595

To appear in: *Journal of Hepatology*

Received Date: 31 August 2016
Revised Date: 16 June 2017
Accepted Date: 7 July 2017

Please cite this article as: Dröge, C., Bonus, M., Baumann, U., Klindt, C., Lainka, E., Kathemann, S., Brinkert, F., Grabhorn, E., Pfister, E-D., Wenning, D., Fichtner, A., Gotthardt, D.N., Weiss, K.H., McKiernan, P., Puri, R.D., Verma, I., Kluge, S., Gohlke, H., Schmitt, L., Kubitz, R., Häussinger, D., Keitel, V., Sequencing of FIC1, BSEP and MDR3 in a large cohort of patients with cholestasis revealed a high number of different genetic variants, *Journal of Hepatology* (2017), doi: <http://dx.doi.org/10.1016/j.jhep.2017.07.004>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Sequencing of FIC1, BSEP and MDR3 in a large cohort of patients with cholestasis revealed a high number of different genetic variants

Carola Dröge¹, Michele Bonus², Ulrich Baumann³, Caroline Klindt¹, Elke Lainka⁴, Simone Kathemann⁴, Florian Brinkert⁵, Enke Grabhorn⁵, Eva-Doreen Pfister³, Daniel Wenning⁶, Alexander Fichtner⁶, Daniel N. Gotthardt⁷, Karl Heinz Weiss⁷, Patrick McKiernan⁸, Ratna Dua Puri⁹, IC Verma⁹, Stefanie Kluge¹, Holger Gohlke², Lutz Schmitt¹⁰, Ralf Kubitz¹, Dieter Häussinger^{1*}, Verena Keitel^{1*}

¹Department of Gastroenterology, Hepatology and Infectious Diseases, University Hospital, Heinrich Heine University Düsseldorf, Germany

²Institute for Pharmaceutical and Medicinal Chemistry, Heinrich Heine University Düsseldorf, Germany

³Pediatric Gastroenterology and Hepatology, Department for Pediatric Kidney, Liver and Metabolic Diseases, Hannover Medical School, Germany

⁴Department for Pediatric Nephrology, Gastroenterology, Endocrinology and Transplant Medicine, Clinic for Pediatrics II, University Children's Hospital Essen, University Duisburg-Essen, Germany

⁵Pediatric Gastroenterology and Hepatology, University Children's Hospital, University Medical Center Hamburg-Eppendorf, Germany

⁶Department of General Pediatrics, Heidelberg University Hospital, Germany

⁷Department of Internal Medicine IV, University Hospital Heidelberg, Germany

⁸Pittsburgh Liver Research Center, University of Pittsburgh and Children's Hospital of Pittsburgh of UPMC, Pittsburgh, USA

⁹Institute of Medical Genetics & Genomics, Sir Ganga Ram Hospital, New Delhi, India

¹⁰Institute of Biochemistry, Heinrich Heine University Düsseldorf, Germany

* Corresponding authors

Download English Version:

<https://daneshyari.com/en/article/8729734>

Download Persian Version:

<https://daneshyari.com/article/8729734>

[Daneshyari.com](https://daneshyari.com)