Accepted Manuscript

Title: 0.9% NaCl (Normal Saline)—Perhaps not so normal after all?

Authors: Neil Blumberg, Jill M Cholette, Anthony P. Pietropaoli, Richard Phipps, Sherry L. Spinelli, Michael P. Eaton, Suzie A. Noronha, Jerard Seghatchian, Joanna M. Heal, Majed A. Refaai

PII: \$1473-0502(18)30055-7

DOI: https://doi.org/10.1016/j.transci.2018.02.021

Reference: TRASCI 2326

To appear in:

Please cite this article as: Neil Blumberg, Jill M Cholette, Anthony P.Pietropaoli, Richard Phipps, Sherry L.Spinelli, Michael P.Eaton, Suzie A.Noronha, Jerard Seghatchian, Joanna M.Heal, Majed A.Refaai, 0.9% NaCl (Normal Saline)—Perhaps not so normal after all? (2010), https://doi.org/10.1016/j.transci.2018.02.021

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

1

0.9% NaCl (Normal Saline)—Perhaps not so normal after all?

Neil Blumberg MD,¹ Jill M Cholette MD,^{2a,b} Anthony P Pietropaoli MD,^{3a} Richard Phipps

PhD,1,2,3a,4 Sherry L. Spinelli PhD,1 Michael P. Eaton MD,5 Suzie A. Noronha MD,2 Jerard

Seghatchian PhD,⁵ Joanna M. Heal MBBS MRCP, ^{1,3} Majed A. Refaai MD^{1,3b}

Departments of Pathology and Laboratory Medicine (Transfusion Medicine)¹ Pediatrics (Critical Care,ª Cardiologyª and Hematology-Oncology³),² Medicine (Critical Care and Pulmonaryª and Hematology-Oncology³),³ Environmental Medicine⁴ and Anesthesiology,⁵ University of Rochester Medical Center, Rochester, NY (USA) and International Consultancy in Blood Components Quality/Safety Improvement, Audit/Inspection and DDR Strategies, London, UK6

Corresponding author:

Neil Blumberg MD

University of Rochester Medical Center—Box 608

601 Elmwood Avenue

Rochester, NY 14642 USA

Telephone: 585 2753189

Email: neil_blumberg@urmc.rochester.edu; jseghatchian@btopenworld.com

Abstract

Crystalloid infusion is widely employed in patient care for volume replacement and resuscitation. In the United States the crystalloid of choice is often normal saline. Surgeons and anesthesiologists have long preferred buffered solutions such as Ringer's Lactate and Plasma-Lyte A. Normal saline is the solution most widely employed in

medical and pediatric care, as well as in hematology and transfusion medicine.

Download English Version:

https://daneshyari.com/en/article/8735071

Download Persian Version:

https://daneshyari.com/article/8735071

<u>Daneshyari.com</u>