

Accepted Manuscript

Combination of conventional culture, vial culture, and broad-range PCR of sonication fluid for the diagnosis of prosthetic joint infection

Antonios Stylianakis, Georgios Schinas, Pavlos C. Thomaidis, Joseph Papaparaskevas, Dimitrios C. Ziogas, Maria N. Gamaletsou, George L. Daikos, Spyros Pneumaticos, Nikolaos V. Sipsas



PII: S0732-8893(18)30121-4
DOI: doi:[10.1016/j.diagmicrobio.2018.04.008](https://doi.org/10.1016/j.diagmicrobio.2018.04.008)
Reference: DMB 14580

To appear in:

Received date: 15 October 2017
Revised date: 12 April 2018
Accepted date: 16 April 2018

Please cite this article as: Antonios Stylianakis, Georgios Schinas, Pavlos C. Thomaidis, Joseph Papaparaskevas, Dimitrios C. Ziogas, Maria N. Gamaletsou, George L. Daikos, Spyros Pneumaticos, Nikolaos V. Sipsas , Combination of conventional culture, vial culture, and broad-range PCR of sonication fluid for the diagnosis of prosthetic joint infection. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Dmb(2018), doi:[10.1016/j.diagmicrobio.2018.04.008](https://doi.org/10.1016/j.diagmicrobio.2018.04.008)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Original article

Combination of conventional culture, vial culture, and broad-range PCR of sonication fluid for the diagnosis of prosthetic joint infection

Running title: prosthetic-joint infection diagnosis

Antonios Stylianakis¹, Georgios Schinas^{2*}, Pavlos C. Thomaidis^{1*},
Joseph Papaparaskevas³, Dimitrios C. Ziogas⁴, Maria N. Gamaletsou⁴,
George L. Daikos⁵, Spyros Pneumáticos², and Nikolaos V. Sipsas⁴

¹Laboratory of Implant Associated Infections, Department of Microbiology, "KAT" General Hospital, Athens, Greece

² ^{3rd} Department of Orthopaedic Surgery, "KAT" General Hospital and Medical School, National and Kapodistrian University of Athens, Athens, Greece;

³Department of Microbiology, and ⁴Department of Pathophysiology, Medical School, National and Kapodistrian University of Athens, Athens, Greece;

⁴Pathophysiology Department, Medical School, National and Kapodistrian University of Athens, Athens, Greece;

⁵First Department of Medicine, Medical School, National and Kapodistrian University of Athens, Athens, Greece;

* These authors contributed equally to this work

Word count: Abstract, 149; Text, 3.512

Download English Version:

<https://daneshyari.com/en/article/8737164>

Download Persian Version:

<https://daneshyari.com/article/8737164>

[Daneshyari.com](https://daneshyari.com)