Initial Performance Evaluation of a Spotted Array Mobile Analysis Platform (MAP) for the Detection of Influenza A/B, RSV and MERS Coronavirus

Justin Hardick, David Metzgar, Lisa Risen, Christopher Myers, Melinda Balansay, Trent Malcom, Richard Rothman, Charlotte Gaydos

PII: S0732-8893(18)30070-1
DOI: doi:10.1016/j.diagmicrobio.2018.02.011
Reference: DMB 14544

To appear in:

Received date: 6 November 2017
Revised date: 26 January 2018
Accepted date: 15 February 2018

Please cite this article as: Justin Hardick, David Metzgar, Lisa Risen, Christopher Myers, Melinda Balansay, Trent Malcom, Richard Rothman, Charlotte Gaydos , Initial Performance Evaluation of a Spotted Array Mobile Analysis Platform (MAP) for the Detection of Influenza A/B, RSV and MERS Coronavirus. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Dmb(2018), doi:10.1016/j.diagmicrobio.2018.02.011

Initial Performance Evaluation of a Spotted Array Mobile Analysis Platform (MAP) for the Detection of Influenza A/B, RSV and MERS Coronavirus

Justin Hardick[1], David Metzgar[2], Lisa Risen[2], Christopher Myers[3], Melinda Balansay[3], Trent Malcom[4], Richard Rothman[4], Charlotte Gaydos[1]

1-Johns Hopkins University School of Medicine, Division of Infectious Diseases, Baltimore, Maryland

2-Ibis Biosciences, Carlsbad, California

3-Naval Health Research Center, San Diego, California

4-Johns Hopkins University Department of Emergency Medicine, Baltimore, Maryland

Running Title: MAP Evaluation for Respiratory Virus Detection

Word Count Abstract: 78

Word Count Manuscript:

Funding Statement:

Funding Statement: Supported in part by the National Institute of Allergy and Infectious Diseases Contract HHSN272201400007C awarded to the Johns Hopkins Center for Influenza Research and Surveillance (JHCEIRS) at the Johns Hopkins University. Any opinions, finding, conclusions or recommendations expressed in this publication are those of the author(s) and do not represent the policy or position of NIAID or NIH. This research was developed with funding from the Defense Advanced Research Projects Agency (DARPA). The views, opinions and/or findings expressed are those of the author and should not be interpreted as representing the official views or policies of the Department of the Navy, Department of the Army, Department of the Air Force, Department of Veterans Affairs Department of Defense or the U.S. Government Approved for public release; distribution unlimited.