

Accepted Manuscript

Peripheral blood immune response-related gene analysis for evaluating the potential risk of chronic antibody-mediated rejection

Takayuki Yamamoto, Kenta Iwasaki, Kenta Murotani, Asami Takeda, Kenta Futamura, Manabu Okada, Makoto Tsujita, Takahisa Hiramitsu, Norihiko Goto, Shunji Narumi, Yoshihiko Watarai, Kunio Morozumi, Kazuharu Uchida, Takaaki Kobayashi

PII: S0198-8859(18)30085-5
DOI: <https://doi.org/10.1016/j.humimm.2018.03.012>
Reference: HIM 10051

To appear in: *Human Immunology*

Received Date: 13 December 2017
Revised Date: 24 March 2018
Accepted Date: 28 March 2018

Please cite this article as: Yamamoto, T., Iwasaki, K., Murotani, K., Takeda, A., Futamura, K., Okada, M., Tsujita, M., Hiramitsu, T., Goto, N., Narumi, S., Watarai, Y., Morozumi, K., Uchida, K., Kobayashi, T., Peripheral blood immune response-related gene analysis for evaluating the potential risk of chronic antibody-mediated rejection, *Human Immunology* (2018), doi: <https://doi.org/10.1016/j.humimm.2018.03.012>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



TITLE PAGE

Research papers

Peripheral blood immune response-related gene analysis for evaluating the potential risk of chronic antibody-mediated rejection**Authors**

Takayuki Yamamoto^{1,2}, Kenta Iwasaki³, Kenta Murotani⁴, Asami Takeda⁵,
Kenta Futamura¹, Manabu Okada¹, Makoto Tsujita¹, Takahisa Hiramitsu¹,
Norihiro Goto¹, Shunji Narumi¹, Yoshihiko Watarai¹, Kunio Morozumi⁶,
Kazuharu Uchida³, Takaaki Kobayashi^{7, *}

Affiliations

¹ Department of Transplant Surgery, Nagoya Daini Red Cross Hospital, Nagoya, Japan

² Xenotransplantation Program, Department of Surgery, University of Alabama at Birmingham, AL, USA

³ Department of Kidney Disease and Transplant Immunology, Aichi Medical University School of Medicine, Nagakute, Japan

⁴ Division of Biostatistics, Clinical Research Center, Aichi Medical University Hospital, Nagakute, Japan

⁵ Department of Nephrology, Nagoya Daini Red Cross Hospital, Nagoya, Japan

⁶ Department of Nephrology, Masuko Memorial Hospital, Nagoya, Japan

⁷ Department of Renal Transplant Surgery, Aichi Medical University School of Medicine, Nagakute, Japan

*Address correspondence to: Takaaki Kobayashi, M.D., Department of Renal Transplant Surgery, Aichi Medical University School of Medicine, 1-1 Yazakokarimata, Nagakute, Aichi 480-1195, JAPAN. E-mail: takaaki.kobayashi@aichi-med-u.ac.jp

Keywords: CIITA; CTLA-4; de novo donor-specific antibodies; chronic antibody-mediated rejection; kidney transplantation

Download English Version:

<https://daneshyari.com/en/article/8737581>

Download Persian Version:

<https://daneshyari.com/article/8737581>

[Daneshyari.com](https://daneshyari.com)