


Accepted Manuscript

Ceftazidime-avibactam susceptibility by three different susceptibility testing methods in carbapenemase-producing Gram-negative bacteria from Australia

Norelle L. Sherry , Sarah L. Baines , Benjamin P. Howden

PII: S0924-8579(18)30055-4
DOI: [10.1016/j.ijantimicag.2018.02.017](https://doi.org/10.1016/j.ijantimicag.2018.02.017)
Reference: ANTAGE 5386



To appear in: *International Journal of Antimicrobial Agents*

Received date: 13 October 2017
Accepted date: 24 February 2018

Please cite this article as: Norelle L. Sherry , Sarah L. Baines , Benjamin P. Howden , Ceftazidime-avibactam susceptibility by three different susceptibility testing methods in carbapenemase-producing Gram-negative bacteria from Australia, *International Journal of Antimicrobial Agents* (2018), doi: [10.1016/j.ijantimicag.2018.02.017](https://doi.org/10.1016/j.ijantimicag.2018.02.017)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- Ceftazidime-avibactam (CZA) is active against class A & some class D carbapenemases
- We tested 50 Australian carbapenemase-producing Gram negatives (CPGN) against CZA
- Carbapenemases tested include KPC, OXA-48 group, and uncommon GES-5, SME and OXA-23 *E. coli*
- All isolates were CZA susceptible by broth microdilution
- E-tests correlated well with BMD; disc diffusion correlated moderately (2 errors)

Download English Version:

<https://daneshyari.com/en/article/8738476>

Download Persian Version:

<https://daneshyari.com/article/8738476>

[Daneshyari.com](https://daneshyari.com)