

Accepted Manuscript

Impact of Polymyxin B Associated Acute Kidney Injury in 1-Year Mortality and Renal Function Recovery

Eduardo C. Gomes , Diego R. Falci , Pedro B ergo ,
Alexandre P. Zavascki , Maria Helena Rigatto

PII: S0924-8579(18)30054-2
DOI: [10.1016/j.ijantimicag.2018.02.016](https://doi.org/10.1016/j.ijantimicag.2018.02.016)
Reference: ANTAGE 5385



To appear in: *International Journal of Antimicrobial Agents*

Received date: 26 September 2017
Revised date: 18 February 2018
Accepted date: 24 February 2018

Please cite this article as: Eduardo C. Gomes , Diego R. Falci , Pedro B ergo ,
Alexandre P. Zavascki , Maria Helena Rigatto , Impact of Polymyxin B Associated Acute Kidney
Injury in 1-Year Mortality and Renal Function Recovery, *International Journal of Antimicrobial Agents*
(2018), doi: [10.1016/j.ijantimicag.2018.02.016](https://doi.org/10.1016/j.ijantimicag.2018.02.016)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Highlights

- 46.1% of patients who survived the first 30-days after PMB died in 1 year
- Renal failure and dialyses during PMB therapy were related to 1 year mortality
- Age and re-exposure to PMB were independently related to mortality
- 33% patients who developed AKI, had renal function recovery within 1 year

Download English Version:

<https://daneshyari.com/en/article/8738478>

Download Persian Version:

<https://daneshyari.com/article/8738478>

[Daneshyari.com](https://daneshyari.com)