

Polymyxin B and Fosfomycin Thwart KPC-producing *Klebsiella pneumoniae* in the Hollow Fibre Infection Model

Zackery P. Bulman , Miao Zhao , Michael J. Satlin , Liang Chen ,  
Barry N. Kreiswirth , Thomas J. Walsh , Roger L. Nation , Jian Li ,  
Brian T. Tsuji

PII: S0924-8579(18)30048-7  
DOI: [10.1016/j.ijantimicag.2018.02.010](https://doi.org/10.1016/j.ijantimicag.2018.02.010)  
Reference: ANTAGE 5379

To appear in: *International Journal of Antimicrobial Agents*

Received date: 5 October 2017  
Revised date: 9 February 2018  
Accepted date: 14 February 2018

Please cite this article as: Zackery P. Bulman , Miao Zhao , Michael J. Satlin , Liang Chen , Barry N. Kreiswirth , Thomas J. Walsh , Roger L. Nation , Jian Li , Brian T. Tsuji , Polymyxin B and Fosfomycin Thwart KPC-producing *Klebsiella pneumoniae* in the Hollow Fibre Infection Model, *International Journal of Antimicrobial Agents* (2018), doi: [10.1016/j.ijantimicag.2018.02.010](https://doi.org/10.1016/j.ijantimicag.2018.02.010)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Highlights**

- Polymyxin B-fosfomycin combinations were highly active against 2 KPC-Kp isolates.
- Combinations may not prevent fosfomycin resistance when MICs near the breakpoint.
- Polymyxin B burst dosing enhances bacterial killing and reduces antibiotic exposure.

Download English Version:

<https://daneshyari.com/en/article/8738490>

Download Persian Version:

<https://daneshyari.com/article/8738490>

[Daneshyari.com](https://daneshyari.com)