

Accepted Manuscript

Title: Moxifloxacin plus rifampin as an alternative for levofloxacin plus rifampin in the treatment of a prosthetic joint infection with *staphylococcus aureus*

Author: Marjan Wouthuyzen-Bakker, Eduard Tornero, Laura Morata, Prashant V Nannan Panday, Paul C Jutte, Guillem Bori, Greetje A Kampinga, Alex Soriano

PII: S0924-8579(17)30210-8
DOI: <http://dx.doi.org/doi: 10.1016/j.ijantimicag.2017.04.011>
Reference: ANTAGE 5150

To appear in: *International Journal of Antimicrobial Agents*

Received date: 20-3-2017
Accepted date: 12-4-2017

Please cite this article as: Marjan Wouthuyzen-Bakker, Eduard Tornero, Laura Morata, Prashant V Nannan Panday, Paul C Jutte, Guillem Bori, Greetje A Kampinga, Alex Soriano, Moxifloxacin plus rifampin as an alternative for levofloxacin plus rifampin in the treatment of a prosthetic joint infection with *staphylococcus aureus*, *International Journal of Antimicrobial Agents* (2017), <http://dx.doi.org/doi: 10.1016/j.ijantimicag.2017.04.011>.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Moxifloxacin plus rifampin as an alternative for levofloxacin plus rifampin in the treatment of a prosthetic joint infection with *Staphylococcus aureus*

Marjan Wouthuyzen-Bakker¹, Eduard Tornero², Laura Morata³, Prashant V Nannan Panday⁴, Paul C Jutte⁵, Guillem Bori⁶, Greetje A Kampinga⁷, Alex Soriano³

¹Department of Internal Medicine / Infectious Diseases, University of Groningen, University Medical Center Groningen, Groningen, the Netherlands.

²Department of Orthopaedic Surgery, Sant Joan de Déu, Barcelona, Spain.

³Service of Infectious Diseases, Hospital Clínic, University of Barcelona, Institut d'Investigacions Biomèdiques August Pi i Sunyer (IDIBAPS), Barcelona, Spain.

⁴Department of Clinical Pharmacy, University of Groningen, University Medical Center Groningen, Groningen, the Netherlands.

⁵Department of Orthopaedic Surgery, University of Groningen, University Medical Center Groningen, Groningen, the Netherlands.

⁶Department of Orthopaedic Surgery and Traumatology, Hospital Clínic, University of Barcelona, Institut d'Investigacions Biomèdiques August Pi i Sunyer (IDIBAPS), Barcelona, Spain.

⁷Department of Medical Microbiology, University of Groningen, University Medical Center Groningen, Groningen, the Netherlands.

Correspondence to:

Marjan Wouthuyzen-Bakker

University Medical Center Groningen

Groningen, the Netherlands

email: m.wouthuyzen-bakker@umcg.nl

tel: + 31 50 361 61 61, fax: + 31 50 361 9074

Key words: prosthetic joint infection, outcome, moxifloxacin, levofloxacin, rifampin, *Staphylococcus aureus*

Word count abstract: 249. Word count manuscript: 2265

Download English Version:

<https://daneshyari.com/en/article/8738708>

Download Persian Version:

<https://daneshyari.com/article/8738708>

[Daneshyari.com](https://daneshyari.com)