

## Accepted Manuscript

Title: Comorbidity is more common and occurs earlier in persons living with HIV than in HIV-uninfected matched controls, aged 50 years or older: a cross-sectional study

Authors: Rafael Aguiar Maciel, Helena Moreira Klück, Madeleine Durand, Eduardo Sprinz



PII: S1201-9712(18)30045-6  
DOI: <https://doi.org/10.1016/j.ijid.2018.02.009>  
Reference: IJID 3174

To appear in: *International Journal of Infectious Diseases*

Received date: 13-1-2018  
Revised date: 2-2-2018  
Accepted date: 15-2-2018

Please cite this article as: Maciel Rafael Aguiar, Klück Helena Moreira, Durand Madeleine, Sprinz Eduardo. Comorbidity is more common and occurs earlier in persons living with HIV than in HIV-uninfected matched controls, aged 50 years or older: a cross-sectional study. *International Journal of Infectious Diseases* <https://doi.org/10.1016/j.ijid.2018.02.009>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Title page**

**Title:** Comorbidity is more common and occurs earlier in persons living with HIV than in HIV-uninfected matched controls, aged 50 years or older: a cross-sectional study

**Authors:**

- Rafael Aguiar Maciel, MD, MSc, Medical Sciences Post-Graduation Program, Universidade Federal do Rio Grande do Sul, Porto Alegre, Brazil

- Helena Moreira Klück, Student of Medicine, School of Medicine, Universidade Federal do Rio Grande do Sul, Porto Alegre, Brazil

- Madeleine Durand, MD MSc FRCPC, Université de Montréal, Québec, Canada

- Eduardo Sprinz, PhD, School of Medicine, Universidade Federal do Rio Grande do Sul, Porto Alegre, Brazil.

E-mail: eduardo.sprinz@gmail.com; esprinz@hcpa.edu.br; phone number: 5551 99573333;

Address: Ramiro Barcelos street, number 2350, Infectious Disease Service of Hospital de Clínicas de Porto Alegre, zip code 90035-903, Porto Alegre-RS, Brazil. (**corresponding author**)

**Highlights**

- Multimorbidity was more common in persons with HIV than uninfected matched controls
- The difference was more pronounced in persons between 50 and 60 years
- Difference in multimorbidity was mainly driven by kidney, hepatic and bone diseases
- Number of comorbid conditions per person was significantly higher in HIV group
- HIV infection and time on antiretroviral were associate to increased comorbidities

Download English Version:

<https://daneshyari.com/en/article/8738996>

Download Persian Version:

<https://daneshyari.com/article/8738996>

[Daneshyari.com](https://daneshyari.com)